

# SAFETY DATA SHEET

Issue Date 08-Jul-2015 Revision Date 28-Dec-2017 Version 4

### Section 1: PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

Product Name Zirconium Tetrachloride

Product Code SAC022

Other means of identification

**UN/ID No.** 2503

Synonyms Zirconium Tetrachloride: Zirconium Chloride (Product #305)

Registration Number(s)

Recommended use of the chemical and restrictions on use
Recommended Use Zirconium Compounds

Uses advised against

Details of the supplier of the safety data sheet

Manufacturer

ATI, 1000 Six PPG Place, Pittsburgh, PA 15222 USA

Emergency telephone number

Emergency Telephone Chemtrec +1 703-741-5970

### **Section 2: HAZARDS IDENTIFICATION**

### Classification of the substance or mixture

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category B

#### Label elements

**Emergency Overview** 

Signal word

Hazard statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage



Appearance powder Physical state Solid Odor Pungent, Slight chlorine.

#### **Precautionary Statements - Prevention**

• Wear protective gloves/protective clothing/eye protection/face protection

Danger

Do not breathe dust/gas/mist

# **Precautionary Statements - Response**

•

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair) • Brush off loose particles from skin. Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. DO NOT induce vomiting
- · Wash contaminated clothing before reuse
- · Absorb spillage to prevent material damage

#### **Precautionary Statements - Storage**

- · Store in a dry place
- · Store in corrosion-resistant container

#### **Precautionary Statements - Disposal**

· Dispose of contents/container to an approved waste disposal plant

#### Other Information

Hazards not otherwise classified (HNOC)

Not applicable

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Synonyms** 

Zirconium Tetrachloride: Zirconium Chloride (Product #305)

Chemical Name	Weight-%	ENCS	ISHL No.	CAS No.
Zirconium Tetrachloride	>97	X	-	10026-11-6
10026-11-6				

Chemical Name		Poisonous and Dele	sonous and Deleterious Substances Control Law	
Zirconium Tetrachloride			-	
10026-11-6				
Chemical Name		Class 1	Class 2	
Zirconium Tetrachloride		-	-	
10026-11-6				

### **Section 4: FIRST AID MEASURES**

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a physician or poison control center immediately.

**Skin Contact** Brush off loose particles from skin. Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

**Eye contact** Flush with water for 15 minutes. See a physician.

**Ingestion** Do NOT induce vomiting. Have patient drink large quantities of water if able. Call Physician

immediately for further instructions.

Symptoms May cause acute gastrointestinal effects if swallowed. Contact with moist skin may cause

skin burns. May cause breathing difficulties if inhaled.

**Inhalation** Product not classified.

**Skin Contact** Causes severe skin burns.

**Eye contact** Causes severe eye damage.

**Ingestion** Product not classified.

### **Section 5: FIRE FIGHTING MEASURES**

Flammable properties Non-combustible.

Page 2/8

**Explosive properties** Not applicable.

Suitable extinguishing media Non-combustible.

Unsuitable extinguishing media If a fire occurs in the area, avoid water contact with the product to prevent evolution of

hazardous gases.

Specific hazards arising from the

chemical

Non-combustible.

Hazardous combustion products Not applicable.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear.

### **Section 6: ACCIDENTAL RELEASE MEASURES**

**Personal precautions**Use personal protective equipment as required.

For emergency responders

Use personal protective equipment as required. Follow Emergency Response Guidebook,

Guide No. 137.

**Environmental precautions**Collect spillage to prevent release to the environment.

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Sweep or shovel material into dry containers. Avoid creating uncontrolled dust. Wash the

spill location thoroughly with water. Respiratory protection may be needed. Skin and eye

protection should be used during cleanup.

#### Section 7: HANDLING AND STORAGE

Handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Protect from

moisture, Reacts with water. Ensure adequate ventilation, especially in confined areas. Handle under inert gas such as nitrogen or argon to maintain the integrity of the product.

Storage

Storage Conditions Keep in properly labeled containers. Keep in a dry, cool and well-ventilated place. Protect

from direct sunlight. Containers may become pressurized: Handle and open container with

care.

**Incompatible materials** Water, alcohols, phenols, and amines. Rubber, coatings, and some plastics. Reacts with

metals to produce heat and corrosive gases.

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Chemical Name	·	ISHL Working Environmental Evaluation Standards - Administrative Control Levels	ACGIH TLV
Zirconium Tetrachloride	-	-	STEL: 10 mg/m³ Zr
10026-11-6			TWA: 5 mg/m <sup>3</sup> Zr

Engineering Controls Avoid generation of uncontrolled particles. Local exhaust ventilation during processing is

recommended.

Personal Protective Equipment

Respiratory protection When particulates/fumes/gases are generated and if exposure limits are exceeded or

Revision Date 28-Dec-2017

irritation is experienced, proper approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

**Eye/face protection** If a risk of eye injury or irritation is present, appropriate eye protection is recommended; for

example, tight-fitting goggles, foam-lined safety glasses, face shield, or other protective

equipment that shields the eyes.

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state Solid

AppearancePowderOdorPungent, Slight chlorine.

Color white, orange Odor threshold

Property Values Remarks • Method

pH <1

Melting point/freezing point 440 °C / 820 °F

Boiling point / boiling range -

Flash point - Not applicable
Evaporation rate - Not applicable
Flammability (solid, gas) - Not flammable

Flammability Limit in Air
Upper flammability limit:
Lower flammability limit:

Vapor pressure-Not applicableVapor density-Not applicable

Specific Gravity 2.8

Water solubility Reacts with water hydrolyzes

Solubility(ies)
Partition coefficient

Autoignition temperature - Not applicable
Decomposition temperature - Not applicable
Kinematic viscosity - Not applicable
Dynamic viscosity - Not applicable
Not applicable

Explosive properties

Oxidizing properties

Not applicable

Not applicable

Softening point -

Molecular weight 233.04 VOC Content (%) Not applicable

Density

Bulk density 45-80 lb/ft3

### Section 10: STABILITY AND REACTIVITY

Reactivity

Reacts with water . .

**Stability** Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Possibility of Hazardous Reactions Reacts with water

Hazardous polymerization Hazardous polymerization does not occur

Conditions to avoid Unintentional contact with water

Incompatible materials Water, alcohols, phenols, and amines. Rubber, coatings, and some plastics. Reacts with

metals to produce heat and corrosive gases.

Hazardous Decomposition Products Reacts with water to produce hydrogen chloride gas or hydrochloric acid and heat

# Section 11: TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Product not classified.

**Eye contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns.

**Ingestion** Product not classified.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zirconium Tetrachloride	-	-	-
10026-11-6			

#### Information on toxicological effects

Symptoms May cause skin burns. May cause severe upper respiratory irritation if inhaled. May cause

acute gastrointestinal effects if swallowed.

#### **Acute toxicity**

Numerical measures of toxicity -

### Numerical measures of toxicity - Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zirconium Tetrachloride	-	-	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes severe skin burns.

Serious eye damage/eye irritation Causes severe eye damage.

**Sensitization** Product not classified.

**Germ cell mutagenicity** Product not classified.

**Carcinogenicity** Product not classified.

Chemical Name	Japan	IARC
Zirconium Tetrachloride		-
10026-11-6		

Reproductive toxicity Product not classified.

STOT - single exposure Product not classified.

STOT - repeated exposure Product not classified.

Target Organ Effects Product not classified.

Aspiration hazard Product not classified.

# **Section 12: ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

This product as shipped is not classified for aquatic toxicity.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Zirconium Tetrachloride	The 14 d NOEC of	The 96h LC50 value of	-	The 48 h EC50 of
	zirconium tetrachloride	zirconium tetrachloride		zirconium tetrachloride
	to Chlorella vulgaris	to Oncorhynchus		to Daphnia magna was
	was greater than 262	mykiss was greater		greater than 190 mg of
	mg of ZrCl4/L.	than 51 mg ZrCl4/L and		ZrCl4/L.
		the 96 h LL50 of		
		zirconium tetrachloride		
		to Danio rerio was		
		greater than 190 mg of		
		ZrCl4/L		

Persistence and degradability

**Bioaccumulation** 

Mobility .

#### Other adverse effects

Chemical Name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Zirconium Tetrachloride	-	-	-

# **Section 13: DISPOSAL CONSIDERATIONS**

Waste from residues/unused

products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# **Section 14: TRANSPORT INFORMATION**

UN Number 2503 Packing Group III

Proper shipping name Zirconium Tetrachloride

Hazard Class Special Provisions

IB8, IP3, T1, TP33

**IMDG** 

Proper shipping name Zirconium Tetrachloride

Hazard Class 8 UN/ID No. 2503

Packing Group

Special Provisions IB8, IP3, T1, TP33

ICAO (air)

**UN/ID No.** 2503

Proper shipping name Zirconium Tetrachloride

Hazard Class 8
Packing Group III

Special Provisions IB8, IP3, T1, TP33

**ADR** 

UN/ID No. 2503

Proper shipping name Zirconium Tetrachloride

Hazard Class 8
Packing Group III
ERG Code 137

Special Provisions IB8, IP3, T1, TP33

**IATA** 

UN/ID No. 2503

Proper shipping name Zirconium Tetrachloride

Hazard Class 8
Packing Group III

Special Provisions IB8, IP3, T1, TP33

Japan

UN Number 2503

Proper shipping name Zirconium Tetrachloride

Hazard Class 8
Packing Group III

Special Provisions IB8, IP3, T1, TP33

### Section 15: REGULATORY INFORMATION

#### **International Inventories**

**TSCA** Complies Complies DSL/NDSL **EINECS/ELINCS** Complies Complies **ENCS IECSC** Complies **KECL** Complies Complies **PICCS AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Chemical Name	Dangerous Substances	organic solvents	Whose Names Are to be Indicated on	of Hazards Due to	Prevention of Lead Poisoning
Zirconium Tetrachloride 10026-11-6	>1 %	Not applicable	Not applicable	-	-

Chemical Name	Class 2	Class 1	Poisonous and Deleterious Substances Control Law	Fire Service Law:
Zirconium Tetrachloride 10026-11-6	Not applicable	-	Not applicable	-

### **Section 16: OTHER INFORMATION**

**Prepared By** 

 Issue Date
 08-Jul-2015

 Revision Date
 28-Dec-2017

**Revision Note** SDS sections updated: 2, 4, 5, 6, 7, 8, 9, 10, 11, 16.

Key or legend to abbreviations and acronyms used in the safety data sheet

•

#### Note:

This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan)

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**

Additional information available

Safety data sheets and labels available at ATImetals.com

from: