

# SAFETY DATA SHEET

5 Revision Date 27-May-2016 Version (

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# 1.1. Product identifier

Product Code FRP006

Product Name Nickel Copper Alloy

Synonyms Nickel Copper Alloy: ATI 200™, ATI 201™, ATI 400™ ALLOY, ATI K-500™, ATI

K-500™-MIL

Contains Cobalt, Nickel

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Nickel alloy product manufacture

Uses advised against

1.3. Details of the supplier of the safety data sheet

**Manufacturer Address** 

ATI, 1000 Six PPG Place, Pittsburgh, PA 15222 USA

1.4. Emergency telephone number

Emergency Telephone Chemtrec: +1-703-741-5970

# **Section 2: HAZARDS IDENTIFICATION**

This product is an article and, as such, does not present a hazard to human health by inhalation or ingestion

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 4
Skin sensitisation	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1

#### 2.2. Label elements

# **Emergency Overview**

# Danger

# Hazard statements

Harmful if swallowed

May cause an allergic skin reaction Suspected of causing cancer

Causes damage to respiratory track prolonged or repeated exposure if inhaled.

\_\_\_\_\_



**Appearance** Various massive product forms

Physical state Solid

**Odour** Odourless

# **Precautionary Statements - Prevention**

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wear protective gloves

If skin irritation or rash occurs: Get medical advice/attention

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# 2.3 Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

When product is subjected to welding, burning, melting, sawing, brazing, grinding, buffing, polishing, or other similar heat-generating processes, the following potentially hazardous airborne particles and/or fumes may be generated: zinc, copper, magnesium, or cadmium fumes may cause metal fume fever.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms Nickel Copper Alloy: ATI 200™, ATI 201™, ATI 400™ ALLOY, ATI K-500™, ATI

K-500™-MIL.

Chemical Name	EC No	CAS No	Weight-%
Nickel	231-111-4	7440-02-0	63-100
Copper	231-159-6	7440-50-8	0-37
Iron	231-096-4	7439-89-6	0-2.5
Manganese	231-105-1	7439-96-5	0-2.0

# **Section 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

**Inhalation** If excessive amounts of smoke, fume, or particulate are inhaled during processing, remove

to fresh air and consult a qualified health professional.

**Skin Contact** In the case of skin irritation or allergic reactions see a doctor.

Eye contact In the case of particles coming in contact with eyes during processing, treat as with any

foreign object.

**Ingestion** Not an expected route of exposure.

# 4.2. Most important symptoms and effects, both acute and delayed

May cause allergic skin reaction. May cause acute gastrointestinal effects if swallowed. **Symptoms** 

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Note to doctors

# Section 5: FIRE FIGHTING MEASURES

# 5.1. Extinguishing media

# Suitable extinguishing media

None in massive form, flammable as finely divided particles. Smother with salt (NaCl) or class D dry powder fire extinguisher.

# Unsuitable extinguishing media

Do not spray water on burning metal as an explosion may occur. This explosive characteristic is caused by the hydrogen and steam generated by the reaction of water with the burning material

# 5.2. Special hazards arising from the substance or mixture

Intense heat. Very fine, high surface area material resulting from grinding, buffing, polishing, or similar processes of this product may ignite spontaneously at room temperature. WARNING: Fine particles resulting from grinding, buffing, polishing, or similar processes of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimise combustible dust hazard.

Hazardous combustion productszinc, copper, magnesium, or cadmium fumes may cause metal fume fever.

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

# Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

# Personal precautions

Use personal protective equipment as required.

# For emergency responders

Use personal protective equipment as required.

# 6.2. Environmental precautions

Not applicable to massive product.

# 6.3. Methods and material for containment and cleaning up

Methods for containment Not applicable to massive product.

Not applicable to massive product. Methods for cleaning up

# 6.4. Reference to other sections

See Section 12: ECOLOGICAL INFORMATION.

# **Section 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

# Advice on safe handling

Very fine, high surface area material resulting from grinding, buffing, polishing, or similar processes of this product may ignite

spontaneously at room temperature. WARNING: Fine particles resulting from grinding, buffing, polishing, or similar processes of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimise combustible dust hazard.

# **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

# 7.2. Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep chips, turnings, dust, and other small particles away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

# Incompatible materials

Dissolves in hydrofluoric acid.

# 7.3. Specific end use(s)

# **Risk Management Methods (RMM)**

The information required is contained in this Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Nickel 7440-02-0	-	STEL: 1.5 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	Skin
Copper 7440-50-8	-	STEL: 0.6 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup> TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 0.1 mg/m³ Ceiling / Peak: 0.2 mg/m³
Iron 7439-89-6	-	-	-	-	-
Manganese 7439-96-5	-	STEL: 1.5 mg/m³ TWA: 0.5 mg/m³	TWA: 1 mg/m³	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.2 mg/m³ TWA: 0.02 mg/m³ Ceiling / Peak: 1.6 mg/m³ Ceiling / Peak: 0.16 mg/m³ TWA: 0.5 mg/m³
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Nickel 7440-02-0	-	TWA: 1.5 mg/m <sup>3</sup>	-	TWA: 1 mg/m³ TWA: 0.1 mg/m³	TWA: 0.05 mg/m <sup>3</sup>
Copper 7440-50-8	-	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 1.0 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>
Iron 7439-89-6	-	-	-	-	-
Manganese 7439-96-5	-	TWA: 0.2 mg/m <sup>3</sup>	-	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Nickel 7440-02-0	-	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.25 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> STEL: 0.15 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
Copper 7440-50-8	STEL 4 mg/m <sup>3</sup> STEL 0.4 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	STEL: 0.2 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>	TWA: 0.1 mg/m³ TWA: 1 mg/m³ STEL: 0.3 mg/m³ STEL: 3 mg/m³	TWA: 0.2 mg/m³ TWA: 1 mg/m³ STEL: 2 mg/m³
Iron 7439-89-6	-	-	-	-	-
Manganese 7439-96-5	STEL 2 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> STEL: 3 ppm STEL: 0.3 mg/m <sup>3</sup>	TWA: 0.2 mg/m³ STEL: 3 mg/m³

Derived No Effect Level (DNEL) No DNELs are available for this product as a whole

Page 4/10

(PNEC)

**Predicted No Effect Concentration** No PNECs are available for this product as a whole.

8.2. Exposure controls

Avoid generation of particulates. **Engineering Controls** 

Personal protective equipment

Eye/face protection

When airborne particles may be present, appropriate eye protection is recommended. For example, tight-fitting goggles, foam-lined safety glasses or other protective equipment that

shield the eyes from particles.

Wear fire/flame resistant/retardant clothing. Cut-resistant gloves and/or protective clothing Skin and body protection

may be appropriate when sharp surfaces are present.

Respiratory protection When particulates/fumes/gases are generated and if exposure limits are exceeded or irritation is experienced, proper approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminate

concentrations. Respiratory protection must be provided in accordance with current local

regulations.

Section 6: ACCIDENTAL RELEASE MEASURES. **Environmental exposure controls** 

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

**Appearance** Various massive product forms Odourless Odour Colour metallic, grey or Silver Odour threshold Not applicable

1430-1540 °C / 2600-2800 °F

**Property** Values Remarks • Method

pН

Melting point/freezing point

Boiling point / boiling range

Flash point

**Evaporation rate** 

Flammability (solid, gas)

Not applicable

None in massive form, flammable as finely divided

particles

Insoluble

Not applicable Not applicable

Not applicable

Not applicable

Not applicable Not applicable

Not applicable

Not applicable

Flammability Limit in Air

Upper flammability limit: Lower flammability limit

Vapour pressure Vapour density **Specific Gravity** 7-9 Water solubility Insoluble

Solubility(ies) **Partition coefficient Autoignition temperature Decomposition temperature** Kinematic viscosity

Dynamic viscosity **Explosive properties** Not applicable **Oxidising properties** Not applicable

9.2. Other information

Softening point Molecular weight

**VOC Content (%)** Not applicable

**Density Bulk density** 

# Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not applicable

#### 10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# 10.3. Possibility of hazardous reactions

# Hazardous polymerisation

Hazardous polymerisation does not occur.

# **Possibility of Hazardous Reactions**

None under normal processing.

# 10.4. Conditions to avoid

Dust formation and dust accumulation;

# 10.5. Incompatible materials

Dissolves in hydrofluoric acid.

# 10.6. Hazardous decomposition products

Not applicable.

# **Section 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

# **Product Information**

Inhalation
Eye contact
Skin Contact

Not an expected route of exposure for product in massive form. Not an expected route of exposure for product in massive form.

**Kin Contact** May cause sensitisation by skin contact.

Ingestion
Unknown Acute Toxicity

Not an expected route of exposure for product in massive form.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nickel	> 9000 mg/kg bw	-	> 10.2 mg/L
Copper	481 mg/kg bw	>2000 mg/kg bw	>5.11 mg/L
Iron	98,600 mg/kg bw	-	> 0.25 mg/L
Manganese	>2000 mg/kg bw	-	>5.14 mg/L

# Information on toxicological effects

**Symptoms** 

May cause sensitisation by skin contact. May cause acute gastrointestinal effects if

swallowed.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity Harmful if swallowed.

Skin corrosion/irritation Product not classified.

Serious eye damage/eye irritation Product not classified.

**Sensitisation** May cause sensitisation by skin contact.

Germ cell mutagenicity Product not classified.

**Carcinogenicity** May cause cancer by inhalation.

Chemical Name	ACGIH	IARC	NTP	OSHA
Nickel		Group 1	Known	X
7440-02-0		Group 2B	Reasonably Anticipated	

**Reproductive toxicity** Product not classified.

STOT - single exposure Product not classified.

**STOT - repeated exposure** Causes disorder and damage to the: Respiratory System.

Aspiration hazard Product not classified.

# **Section 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

This product as shipped is not classified for aquatic toxicity This product contains a chemical which is listed as a severe marine pollutant according to IMDG/IMO

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Micro-organisms	
	NOEC/EC10 values range from 12.3 µg/l for Scenedesmus accuminatus to 425 µg/l for Pseudokirchneriella subcapitata.	The 96h LC50s values range from 0.4 mg Ni/L for Pimephales promelas to 320 mg Ni/L for Brachydanio rerio.	The 30 min EC50 of nickel for activated sludge was 33 mg Ni/L.	The 48h LC50s values range from 0.013 mg Ni/L for Ceriodaphnia dubia to 4970 mg Ni/L for Daphnia magna.
Copper	The 72 h EC50 values of copper chloride to Pseudokirchneriella subcapitata ranged between 30 µg/L (pH 7.02, hardness 250 mg/L CaCO3, DOC 1.95 mg/L) and 824 µg/L (pH 6.22, hardness 100 mg/L CaCO3, DOC 15.8 mg/L).	The 96-hr LC50 for Pimephales promelas exposed to Copper sulfate ranged from 256.2 to 38.4 ug/L with water hardness increasing from 45 to 255.7 mg/L.	The 24 h NOEC of copper chloride for activated sludge ranged from 0.32 to 0.64 mg of Cu/L.	The 48 h LC50 values for Daphnia magna exposed to copper in natural water ranged between 33.8 µg/L (pH 6.1, hardness 12.4 mg/L CaCO3, DOC 2.34 mg/L) and 792 µg/L (pH 7.35, hardness 139.7 mg/L CaCO3, DOC 22.8 mg/L).
Iron	-	The 96 h LC50 of 50% iron oxide black in water to Danio rerio was greater than 10,000 mg/L.	The 3 h EC50 of iron oxide for activated sludge was greater than 10,000 mg/L.	The 48 h EC50 of iron oxide to Daphnia magna was greater than 100 mg/L.
Manganese	The 72 h EC50 of manganese to Desmodesmus subspicatus was 2.8 mg of Mn/L.	The 96 h LC50 of manganese to Oncorhynchus mykiss was greater than 3.6 mg of Mn/L	The 3 h EC50 of manganese for activated sludge was greater than 1000 mg/L.	The 48 h EC50 of manganese to Daphnia magna was greater than 1.6 mg/L.

# 12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

Page 7/10

The PBT and vPvB criteria do not apply to inorganic substances.

# 12.6. Other adverse effects

This product as shipped is not classified for environmental endpoints. However, when subjected to sawing or grinding, particles may be generated that are classified for aquatic acute or aquatic chronic toxicity

# **Section 13: DISPOSAL CONSIDERATIONS**

# 13.1. Waste treatment methods

Waste from residues/unused

products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging None anticipated.

# Section 14: TRANSPORT INFORMATION

I٨	Λ	ח	G

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine pollutant	Not applicable
44.6 Chaolal Dravialana	None

14.6 Special Provisions

14.7 Transport in bulk according to Not applicable

Annex II of MARPOL 73/78 and the

**IBC Code** 

RID	
14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable

14.6 Special Provisions None

# **ADR**

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not regulated
14.5	Environmental hazard	Not applicable

14.6 Special Provisions None

# ICAO (air)

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not applicable
14.5	<b>Environmental hazard</b>	Not applicable

14.6 Special Provisions None

#### IATA

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
Description	Not applicable
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

14.6 Special Provisions

# **Section 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	French RG number	Title
Nickel	RG 37ter	-
7440-02-0		
Copper	-	-
7440-50-8		
Iron	RG 44,RG 44bis,RG 94	-
7439-89-6		
Manganese	-	-
7439-96-5		

# **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

# **International Inventories**

**TSCA** Complies **DSL/NDSL** Complies Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS AICS** Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# 15.2. Chemical safety assessment

No chemical safety assessment has been performed for this product.

# **Section 16: OTHER INFORMATION**

Issue Date 28-May-2015

Revision Date 27-May-2016

**Revision Note** Updated Section(s): 1, 3, 7.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Note:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

Additional information available from:

Safety data sheets and labels available at ATImetals.com

Page 10 / 10