

# SAFETY DATA SHEET

Issue Date 28-May-2015 Revision Date 23-Apr-2020 Version 5

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code SAC003

**Product Name** Tantalum and Tantalum Alloys

Synonyms Tantalum and Tantalum Alloys: All solid (non-powder) Tantalum products, (Product #612)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Alloy product manufacture

Uses advised against

1.3. Details of the supplier of the safety data sheet

**Manufacturer** 

ATI, 1000 Six PPG Place, Pittsburgh, PA 15222 USA

1.4. Emergency telephone number

Emergency Telephone Chemtrec: +1-703-741-5970

### Section 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not Hazardous Not a hazardous substance or mixture according to the Globally Harmonised System (GHS)

2.2. Label elements

**Emergency Overview** 

Appearance Various massive product Physical state Solid Odour Odourless

forms

### 2.3 Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

When product is subjected to welding, burning, melting, sawing, brazing, grinding, buffing, polishing, or other similar heat-generating processes, the following potentially hazardous airborne particles and/or fumes may be generated: Titanium dioxide, an IARC Group 2B carcinogen. Vanadium pentoxide (V2O5) affects eyes, skin, respiratory system.

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms

Tantalum and Tantalum Alloys: All solid (non-powder) Tantalum products, (Product #612).

Chemical Name	EC No	CAS No	Weight-%
Tantalum	231-135-5	7440-25-7	60->99
Niobium	231-113-5	7440-03-1	0-35
Titanium	231-142-3	7440-32-6	0-25
Vanadium	231-171-1	7440-62-2	0-10
Tungsten	231-143-9	7440-33-7	0-10
Hafnium	231-166-4	7440-58-6	0-5

### **Section 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Inhalation If excessive amounts of smoke, fume, or particulate are inhaled during processing, remove

to fresh air and consult a qualified health professional.

**Skin Contact** None under normal use conditions.

Eye contact In the case of particles coming in contact with eyes during processing, treat as with any

foreign object.

**Ingestion** Not an expected route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None anticipated.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

### **Section 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

### Suitable extinguishing media

Product not flammable in the form as distributed, flammable as finely divided particles or pieces resulting from processing of this product. Isolate large fires and allow to burn out. Smother small fires with salt (NaCl) or class D dry powder fire extinguisher.

#### Unsuitable extinguishing media

Do not spray water on burning metal as an explosion may occur. This explosive characteristic is caused by the hydrogen and steam generated by the reaction of water with the burning material

### 5.2. Special hazards arising from the substance or mixture

Intense heat. Very fine, high surface area material resulting from grinding, buffing, polishing, or similar processes of this product may ignite spontaneously at room temperature. WARNING: Fine particles resulting from grinding, buffing, polishing, or similar processes of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimise combustible dust hazard.

**Hazardous combustion products** Titanium dioxide, an IARC Group 2B carcinogen. Vanadium pentoxide (V2O5) affects eyes, skin, respiratory system.

### 5.3. Advice for firefighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Use personal protective equipment as required.

#### For emergency responders

Use personal protective equipment as required.

#### 6.2. Environmental precautions

Not applicable to massive product.

#### 6.3. Methods and material for containment and cleaning up

**Methods for containment**Not applicable to massive product.

Methods for cleaning up Not applicable to massive product.

#### 6.4. Reference to other sections

See Section 12: ECOLOGICAL INFORMATION.

### Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

### Advice on safe handling

Very fine, high surface area material resulting from grinding, buffing, polishing, or similar processes of this product may ignite spontaneously at room temperature. WARNING: Fine particles resulting from grinding, buffing, polishing, or similar processes of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimise combustible dust hazard.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

### **Storage Conditions**

Keep chips, turnings, dust, and other small particles away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

### Incompatible materials

Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above 200°C, reacts exothermically with the following: Chlorine, bromine, halocarbons, carbon tetrachloride, carbon tetrafluoride, and freon.

### 7.3. Specific end use(s)

### **Risk Management Methods (RMM)**

Not required.

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Tantalum	-	STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
7440-25-7		TWA: 5 mg/m <sup>3</sup>			TWA: 1.5 mg/m <sup>3</sup>

Niobium 7440-03-1	-	-	-	-	-
Titanium 7440-32-6	-	-	-	-	-
Vanadium 7440-62-2	-	-	-	-	Skin
Tungsten 7440-33-7	-	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	-	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	-
Hafnium 7440-58-6	-	-	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	-
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Tantalum 7440-25-7	-	TWA: 5 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Niobium 7440-03-1	-	-	-	-	TWA: 5 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>
Titanium 7440-32-6	-	-	-	-	-
Vanadium 7440-62-2	-	-	-	-	-
Tungsten 7440-33-7	-	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Hafnium 7440-58-6	-	TWA: 0.5 mg/m <sup>3</sup>	-	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Tantalum 7440-25-7	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
Niobium 7440-03-1	STEL 10 mg/m <sup>3</sup> STEL 1 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	-	-	-	-
Titanium 7440-32-6	-	-	STEL: 30 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	-	-
Vanadium 7440-62-2	STEL 1 mg/m³ TWA: 0.5 mg/m³	-	-	TWA: 0.2 mg/m <sup>3</sup> Ceiling: 0.05 mg/m <sup>3</sup> STEL: 0.6 mg/m <sup>3</sup>	-
Tungsten 7440-33-7	STEL 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
Hafnium 7440-58-6	STEL 5 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> STEL: 1.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> STEL: 1.5 mg/m <sup>3</sup>

Derived No Effect Level (DNEL) No DNELs are available for this product as a whole

Predicted No Effect Concentration

(PNEC)

No PNECs are available for this product as a whole.

### 8.2. Exposure controls

**Engineering Controls** Avoid generation of uncontrolled particles.

Personal protective equipment

Eye/face protection

When airborne particles may be present, appropriate eye protection is recommended. For example, tight-fitting goggles, foam-lined safety glasses or other protective equipment that

shield the eyes from particles.

Skin and body protection

Fire/flame resistant/retardant clothing may be appropriate during hot work with the product. Cut-resistant gloves and/or protective clothing may be appropriate when sharp surfaces are

present.

Respiratory protection

When particulates/fumes/gases are generated and if exposure limits are exceeded or irritation is experienced, proper approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminate concentrations. Respiratory protection must be provided in accordance with current local

regulations.

**Environmental exposure controls** Section 6: ACCIDENTAL RELEASE MEASURES.

### **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

**Physical state** 

**Appearance** Various massive product forms Odour Odourless Colour blue grey Odour threshold Not applicable

**Property** Values Remarks • Method

Not applicable pН

Melting point / freezing point 2600-2800 °C / 4710-5070 °F Boiling point / boiling range Flash point

**Evaporation rate** Not applicable

Product not flammable in the form as distributed, Flammability (solid, gas) flammable as finely divided particles or pieces

resulting from processing of this product

Flammability Limit in Air Upper flammability limit:

Lower flammability limit Not applicable Vapour pressure

Vapour density Not applicable **Specific Gravity** 13.6-16.8

Water solubility Insoluble

Solubility(ies)

**Partition coefficient** Not applicable Not applicable **Autoignition temperature Decomposition temperature** Not applicable Kinematic viscosity Not applicable **Dynamic viscosity** Not applicable

**Explosive properties** Not applicable Not applicable Oxidising properties

9.2. Other information

Softening point

Molecular weight

Not applicable **VOC Content (%) Density** 

850-1050 lb/ft3 **Bulk density** 

### **Section 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

Not applicable

### 10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### 10.3. Possibility of hazardous reactions

#### Hazardous polymerisation

Hazardous polymerisation does not occur.

### **Possibility of Hazardous Reactions**

None under normal processing.

#### 10.4. Conditions to avoid

\_\_\_\_\_\_

Dust formation and dust accumulation.

#### 10.5. Incompatible materials

Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above 200°C, reacts exothermically with the following: Chlorine, bromine, halocarbons, carbon tetrachloride, carbon tetrafluoride, and freon.

### 10.6. Hazardous decomposition products

When product is subjected to welding, burning, melting, sawing, brazing, grinding, buffing, polishing, or other similar heat-generating processes, the following potentially hazardous airborne particles and/or fumes may be generated:. Titanium dioxide, an IARC Group 2B carcinogen. Vanadium pentoxide (V2O5) affects eyes, skin, respiratory system.

### Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

### **Product Information**

.

InhalationNot an expected route of exposure for product in massive form.Eye contactNot an expected route of exposure for product in massive form.

Skin Contact Product not classified.

**Ingestion** Not an expected route of exposure for product in massive form.

**Unknown Acute Toxicity** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Tantalum	Tantalum > 2000 mg/kg bw		> 5.18 mg/L
Niobium	> 10,000 mg/kg bw	> 2000 mg/kg bw	-
Titanium	> 5000 mg/kg bw	-	-
Vanadium	> 2000 mg/kg bw	-	-
Tungsten	> 2000 mg/kg bw	> 2000 mg/kg bw	> 5.4 mg/L
Hafnium	> 5000 mg/kg bw	-	>4.3mg/L

### Information on toxicological effects

Symptoms None known.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity Product not classified.

**Skin corrosion/irritation** Product not classified.

Serious eye damage/eye irritation Product not classified.

**Sensitisation** Product not classified.

Germ cell mutagenicity Product not classified.

Carcinogenicity Product not classified.

Reproductive toxicity Product not classified.

STOT - single exposure Product not classified.

STOT - repeated exposure Product not classified.

**Aspiration hazard** Product not classified.

### **Section 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

This product as shipped is not classified for aquatic toxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tantalum	-	-	-	-
Niobium	-	-	-	-
Titanium	The 72 h EC50 of titanium dioxide to Pseudokirchnerella subcapitata was 61 mg of TiO2/L.	The 96 h LC50 of titanium dioxide to Cyprinodon variegatus was greater than 10,000 mg of TiO2/L. The 96 h LC50 of titanium dioxide to Pimephales promelas was greater than 1,000 mg of TiO2/L.	The 3 h EC50 of titanium dioxide for activated sludge were greater than 1000 mg/L.	The 48 h EC50 of titanium dioxide to Daphnia Magna was greater than 1000 mg of TiO2/L.
Vanadium	The 72 h EC50 of vanadium pentoxide to Desmodesmus subspicatus was 2,907 ug of V/L.	The 96 h LC50 of vanadium pentoxide to Pimephales promelas was 1,850 ug of V/L.	The 3 h EC50 of sodium metavanadate for activated sludge was greater than 100 mg/L.	The 48 h EC50 of sodium vanadate to Daphnia magna was 2,661 ug of V/L.
Tungsten	The 72 h EC50 of sodium tungstate to Pseudokirchnerella subcapitata was 31.0 mg of W/L.	The 96 h LC50 of sodium tungstate to Danio rerio was greater than 106 mg of W/L.	The 30 min EC50 of sodium tungstate for activated sludge were greater than 1000 mg/L.	The 48 h EC50 of sodium tungstate to Daphnia magna was greater than 96 mg of W/L.
Hafnium	The 72 h EC50 of hafnium to Pseudokirchneriella subcapitata was great than 8 ug of Hf/L (100% saturated solution).	The 96 h LC50 of Hafnium dioxide in water to Danio rerio was greater than the solubility limit of 0.007 mg	-	The 48 h EC50 of Hafnium dioxide to Daphnia magna was greater than the solubility limit of 0.007 mg

### 12.2. Persistence and degradability

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

The PBT and vPvB criteria do not apply to inorganic substances.

### 12.6. Other adverse effects

## **Section 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

Waste from residues/unused products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging None anticipated.

# **Section 14: TRANSPORT INFORMATION**

**IMDG** 

14.1 UN/ID no Not regulated

14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not regulated
14.5	Marine pollutant	Not applicable
14.6	Special Provisions	None
14.7	Transport in bulk according to	Not applicable
_		

Annex II of MARPOL and the IBC

Code

_	_
КI	I)

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

#### ADR

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

### ICAO (air)

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not applicable
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

### **IATA**

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
Description	
	A

14.5 Environmental hazard Not applicable

14.6 Special Provisions None

# **Section 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	French RG number	Title
Tantalum 7440-25-7	-	-
Niobium 7440-03-1	-	-
Titanium 7440-32-6	-	-
Vanadium 7440-62-2	RG 66	-
Tungsten 7440-33-7	-	-
Hafnium 7440-58-6	-	-

**European Union** 

Revision Date 23-Apr-2020

\_\_\_\_\_

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### **International Inventories**

DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Not Listed
AICS

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

No chemical safety assessment has been performed for this product.

### **Section 16: OTHER INFORMATION**

 Issue Date
 28-May-2015

 Revision Date
 23-Apr-2020

**Revision Note** Updated Section(s): 1, 3, 4, 5, 9, 12, 15.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Note:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**

Additional information available Safety data sheets and labels available at ATImetals.com

from: