

SAFETY DATA SHEET

Issue Date 28-May-2015 Revision Date 30-Jun-2022 Version 5

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code SAC007

Product Name Crushed Niobium E.B. Furnace Slag

Synonyms Crushed Niobium Electron Beam Furnace Slag: Crushed Columbium E.B. Furnace Slag

(Product #118)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Chemical intermediate

Uses advised against

1.3. Details of the supplier of the safety data sheet

1.4. Emergency telephone number

Emergency Telephone Chemtrec: +1-703-741-5970

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

2.2. Label elements

Emergency Overview

Appearance Chunks with powder Physical state Solid Odour Odourless

2.3 Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms Crushed Niobium Electron Beam Furnace Slag: Crushed Columbium E.B. Furnace Slag

(Product #118).

Chemical Name EC No CAS No Weight-%

Nichium	231-113-5	7440.02.4	E 65
Niobium		7440-03-1	<u>5 - 65</u>
Diiron trioxide	215-168-2	1309-37-1	0 - 23
Hafnium Dioxide	235-013-2	12055-23-1	0 - 18
Diniobium Pentaoxide	215-213-6	1313-96-8	5 - 15
Aluminium	231-072-3	7429-90-5	1 - 15
Aluminium Oxide	215-691-6	1344-28-1	1 - 13
Zirconium Dioxide	215-227-2	1314-23-4	1 - 10
Titanium Dioxide	236-675-5	13463-67-7	0 - 6
Barium Aluminate	234-445-9	12004-04-05	0 - 2
Ditantalum Pentaoxide	215-238-2	1314-61-0	0 - 1

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation If excessive amounts of smoke, fume, or particulate are inhaled during processing, remove

to fresh air and consult a qualified health professional.

Skin Contact None under normal use conditions.

Eye contact In the case of particles coming in contact with eyes during processing, treat as with any

foreign object.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None anticipated.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Product not flammable in the form as distributed, flammable as finely divided particles or pieces resulting from processing of this product.

Unsuitable extinguishing media

Do not spray water on burning metal as an explosion may occur. This explosive characteristic is caused by the hydrogen and steam generated by the reaction of water with the burning material

5.2. Special hazards arising from the substance or mixture

Intense heat. Very fine, high surface area material resulting from grinding, buffing, polishing, or similar processes of this product may ignite spontaneously at room temperature. WARNING: Fine particles resulting from grinding, buffing, polishing, or similar processes of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimise combustible dust hazard

Hazardous combustion products Not applicable.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

Page 2/10

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required.

For emergency responders

Use personal protective equipment as required.

6.2. Environmental precautions

Collect spillage to prevent release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Sweep or shovel material into dry containers. Avoid creating uncontrolled dust.

6.4. Reference to other sections

See Section 12: ECOLOGICAL INFORMATION.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Very fine, high surface area material resulting from processing this product may ignite spontaneously at room temperature. WARNING: Fine particles of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimise combustible dust hazard.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Incompatible materials

Dissolves in hydrofluoric acid.

7.3. Specific end use(s)

Risk Management Methods (RMM)

Not required.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Niobium 7440-03-1	-	-	-	-	-
Diiron trioxide 1309-37-1	-	•	-	-	-
Hafnium Dioxide 12055-23-1	-	-	-	TWA: 0.5 mg/m ³	-
Diniobium Pentaoxide 1313-96-8	-	•	-	-	-
Aluminium 7429-90-5	-	STEL: 30 mg/m ³ STEL: 12 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 4 mg/m³ TWA: 1.5 mg/m³

		TWA: 10 mg/m ³ TWA: 4 mg/m ³			
Aluminium Oxide 1344-28-1	-	TWA: 4 mg/m³ TWA: 4 mg/m³ TWA: 4 mg/m³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 4 mg/m³ TWA: 1.5 mg/m³ Skin
Zirconium Dioxide 1314-23-4	-	TWA: 5 mg/m ³	-	STEL: 10 mg/m ³ TWA: 5 mg/m ³	-
Titanium Dioxide 13463-67-7	-	STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	Skin
Barium Aluminate 12004-04-05	-	-	-	-	-
Ditantalum Pentaoxide 1314-61-0	-	-	-	-	-
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Niobium 7440-03-1	-	-	-	-	TWA: 5 mg/m ³ TWA: 0.5 mg/m ³
Diiron trioxide 1309-37-1	-	-	-	-	-
Hafnium Dioxide 12055-23-1	-	TWA: 0.5 mg/m ³	-	TWA: 0.5 mg/m ³	-
Diniobium Pentaoxide 1313-96-8	-	-	-	-	-
Aluminium 7429-90-5	-	TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 0.05 mg/m ³	TWA: 1.5 mg/m ³	TWA: 5 mg/m ³ TWA: 2 mg/m ³
Aluminium Oxide 1344-28-1	-	TWA: 10 mg/m ³	TWA: 0.05 mg/m ³	-	TWA: 5 mg/m ³ TWA: 2 mg/m ³
Zirconium Dioxide 1314-23-4	-	STEL: 10 mg/m ³ TWA: 5 mg/m ³	-	TWA: 1 mg/m ³	TWA: 5 mg/m ³
Titanium Dioxide 13463-67-7	-	TWA: 10 mg/m ³	-	-	TWA: 6 mg/m ³
Barium Aluminate 12004-04-05	-	-	-	-	-
Ditantalum Pentaoxide 1314-61-0	-	TWA: 5 mg/m ³	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Niobium 7440-03-1	STEL 10 mg/m ³ STEL 1 mg/m ³ TWA: 5 mg/m ³ TWA: 0.5 mg/m ³	-	-	-	-
Diiron trioxide 1309-37-1	-	-	-	-	-
Hafnium Dioxide 12055-23-1	TWA: 0.5 mg/m ³	-	TWA: 0.5 mg/m ³	-	-
Diniobium Pentaoxide 1313-96-8	-	-	-	-	-
Aluminium 7429-90-5	STEL 20 mg/m ³ TWA: 10 mg/m ³	TWA: 3 mg/m ³	TWA: 2.5 mg/m ³ TWA: 1.2 mg/m ³	TWA: 5 mg/m³ STEL: 10 mg/m³	TWA: 1 mg/m³ TWA mg/m³
Aluminium Oxide 1344-28-1	STEL 10 mg/m ³ TWA: 5 mg/m ³	STEL: 24 mg/m ³ TWA: 3 mg/m ³	TWA: 2.5 mg/m ³ TWA: 1.2 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³
Zirconium Dioxide 1314-23-4	TWA: 5 mg/m ³	TWA: 5 mg/m ³	STEL: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³
Titanium Dioxide 13463-67-7	STEL 10 mg/m ³ TWA: 5 mg/m ³	TWA: 3 mg/m ³	STEL: 30 mg/m ³ TWA: 10.0 mg/m ³ TWA: 10 mg/m ³	TWA: 5 mg/m³ STEL: 10 mg/m³	TWA: 10 mg/m ³ TWA: 4 mg/m ³
Barium Aluminate 12004-04-05	-	-	-	-	-
Ditantalum Pentaoxide 1314-61-0	STEL 10 mg/m ³ TWA: 5 mg/m ³	-	-	-	-

Derived No Effect Level (DNEL)No DNELs are available for this product as a whole

Predicted No Effect Concentration No PNECs are available for this product as a whole. **(PNEC)**

8.2. Exposure controls

Engineering Controls Avoid generation of uncontrolled particles.

Personal protective equipment

Eye/face protection When airborne particles may be present, appropriate eye protection is recommended. For

example, tight-fitting goggles, foam-lined safety glasses or other protective equipment that

shield the eyes from particles.

Skin and body protection Respiratory protection

Fire/flame resistant/retardant clothing may be appropriate during hot work with the product. When particulates/fumes/gases are generated and if exposure limits are exceeded or irritation is experienced, proper approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminate concentrations. Respiratory protection must be provided in accordance with current local

regulations.

Environmental exposure controls Section 6: ACCIDENTAL RELEASE MEASURES.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Solid

AppearanceChunks with powderOdourOdourlessColourmetallic grey or SilverOdour thresholdNot applicable

Property
pH
Melting point / freezing point

Remarks • Method
Not applicable

Boiling point / boiling range Flash point - Not applicable
Evaporation rate - Not applicable
Flammability (solid, gas) - Not flammable

Upper flammability limit: Lower flammability limit -

Vapour pressure-Not applicableVapour density-Not applicable

Specific Gravity 5-7
Water solubility Solubility(ies)

Partition coefficient - Not applicable
Autoignition temperature - Not applicable
Decomposition temperature - Not applicable
Kinematic viscosity - Not applicable
Dynamic viscosity -

Explosive propertiesNot applicable **Oxidising properties**Not applicable

9.2. Other information

Flammability Limit in Air

Softening point - Molecular weight -

VOC Content (%) Not applicable

Density - 140-160 lb/ft³ 140-160 lb/ft³

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not applicable.

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Dust formation and dust accumulation.

10.5. Incompatible materials

Dissolves in hydrofluoric acid.

10.6. Hazardous decomposition products

Not applicable.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

InhalationProduct not classified.Eye contactProduct not classified.Skin ContactProduct not classified.IngestionProduct not classified.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Niobium	> 10,000 mg/kg bw	> 2000 mg/kg bw	-
Diiron trioxide	> 5000 mg/kg bw	-	> 5 mg/L
Hafnium Dioxide	>2000 mg/kg bw	-	>4.3 mg/L
Diniobium Pentaoxide	> 8000 mg/kg bw	-	> 3.89 mg/L
Aluminium	15,900 mg/kg bw	-	> 1 mg/L
Aluminium Oxide	15,900 mg/kg bw	-	7.6 mg/L
Zirconium Dioxide	>5000 mg/kg bw	-	>4.3 mg/L
Titanium Dioxide	>5,000 mg/kg bw	•	> 6.82 mg/L
Barium Aluminate	-	-	-
Ditantalum Pentaoxide	> 8000 mg/kg bw	-	-

Information on toxicological effects

Symptoms None known.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity Product not classified.

Skin corrosion/irritation Product not classified.

Serious eye damage/eye irritation Product not classified.

Sensitisation Product not classified.

Page 6/10

Germ cell mutagenicity Product not classified.

Carcinogenicity Product not classified.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide		Group 2B		X
13463-67-7		·		

Reproductive toxicity Product not classified.

STOT - single exposure Product not classified.

STOT - repeated exposure Product not classified.

Aspiration hazard Product not classified.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

This product as shipped is not classified for aquatic toxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Niobium	-	-	-	-
Diiron trioxide	-	The 96 h LC50 of Diiron trioxide to Danio rerio was greater than or equal to 50,000 mg/L.	The 3 h EC50 of Diiron trioxide for activated sludge was greater than 10,000 mg/L.	The 48 h EC50 of Diiron trioxide to Daphnia magna was greater than or equal to 100 mg/L.
Hafnium Dioxide	The 72 h EC50 of Hafnium dioxide in water to Pseudokirchneriella subcapitata was was greater than the solubility limit of 0.008 mg Hf/L	The 96 h LC50 of Hafnium dioxide in water to Danio rerio was greater than the solubility limit of 0.007 mg	-	The 48 h EC50 of Hafnium dioxide to Daphnia magna was greater than the solubility limit of 0.007 mg
Diniobium Pentaoxide	The 72 h EC50 of Ditantalum pentaoxide to Desmodesmus subspicatus was greater than 1 mg/L	The 96 h LC50 of Ditantalum pentaoxide to Danio rerio was greater than or equal to 1 mg/L.	The 3 h EC50 of Ditantalum pentaoxide for activated sludge was greater than 10,000 mg/L.	The 48 h EC50 of Ditantalum pentaoxide to Daphnia magna was greater than or equal to 1 mg/L.
Aluminium	The 96-h EC50 values for reduction of biomass of Pseudokirchneriella subcapitata in AAP-Medium at pH 6, 7, and 8 were estimated as 20.1, 5.4, and 150.6 µg/L, respectively, for dissolved AI.	The 96 h LC50 of aluminum to Oncorhynchus mykiss was 7.4 mg of Al/L at pH 6.5 and 14.6 mg of Al/L at pH 7.5	-	The 48-hr LC50 for Ceriodaphnia dubia exposed to Aluminium chloride increased from 0.72 to greater than 99.6 mg/L with water hardness increasing from 25 to 200 mg/L.
Aluminium Oxide	The 96-h EC50 values for reduction of biomass of Pseudokirchneriella subcapitata in AAP-Medium at pH 6, 7, and 8 were estimated as 20.1, 5.4, and 150.6 µg/L, respectively, for dissolved AI.	The 96 h LC50 of Aluminum chloride to Oncorhynchus mykiss ranged from 7.4 mg of Al/L at pH 6.5 to 14.6 mg of Al/L at pH 7.5. The 96-hr LC50 for Pimephales promelas exposed to Aluminum chloride ranged from 1.16 to 44.8 mg/L with water hardness increasing from 25 to 200 mg/L.	-	The 48-hr EC50 for Ceriodaphnia dubia exposed to Aluminium chloride ranged from 1.9 to 2.6 mg/L with pH ranging from 7.42 to 8.13.
Zirconium Dioxide	•	The 96 h LL50 of zirconium dioxide to Danio rerio was greater than 100	-	The 48 h EC50 of zirconium dioxide to Daphnia magna was

	greater than 200 mg/L	mg/L.		greater than 100 mg/L
Titanium Dioxide	The 72 h EC50 of titanium	The 96h LC50s values of	The 3 h EC50 of titanium	The 48 h LC50 of titanium
	dioxide to	titanium dioxide range from	dioxide for activated	dioxide to Daphnia magna
	Pseudokirchnerella	greater than 100 mg	sludge were greater than	was greater than 100 mg
	subcapitata was 61 mg of	TiO2/L for Oncorhynchus	1000 mg/L.	of TiO2/L.
	TiO2/L.	mykiss to greater than		
		1000 mg TiO2/L for		
		Pimephales promelas		
Barium Aluminate	-	-	-	-
Ditantalum Pentaoxide	-	-	-	-

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

The PBT and vPvB criteria do not apply to inorganic substances.

12.6. Other adverse effects

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused

products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Section 14: TRANSPORT INFORMATION

IMDG

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine pollutant	Not applicable
440 Outsile Dustile Issue	Mana

14.6 Special Provisions None

14.7 Transport in bulk according to Not applicable

Annex II of MARPOL and the IBC

Code

RID

IXID	
14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable

14.6 Special Provisions None

<u>ADR</u>

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing Group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

ICAO (air)

14.1 UN/D noNot regulated14.2 Proper shipping nameNot regulated14.3 Hazard ClassNot regulated14.4 Packing GroupNot applicable14.5 Environmental hazardNot applicable14.6 Special ProvisionsNone

IATA

14.1UN/ID noNot regulated14.2Proper shipping nameNot regulated14.3Hazard ClassNot regulated14.4Packing GroupNot regulatedDescriptionNot applicable14.5Environmental hazardNot applicable14.6Special ProvisionsNone

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	French RG number	Title
Niobium 7440-03-1	-	-
Diiron trioxide 1309-37-1	-	-
Hafnium Dioxide 12055-23-1	-	-
Diniobium Pentaoxide 1313-96-8	-	-
Aluminium 7429-90-5	RG 32 RG 16,RG 16bis	-
Aluminium Oxide 1344-28-1	-	-
Zirconium Dioxide 1314-23-4	-	-
Titanium Dioxide 13463-67-7	-	-
Barium Aluminate 12004-04-05	-	-
Ditantalum Pentaoxide 1314-61-0	-	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

International Inventories

DSL/NDSL Complies

EINECS/ELINCS Complies
ENCS Complies
IECSC Not Listed
KECL Complies
PICCS Not Listed
AICS Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No chemical safety assessment has been performed for this product.

Section 16: OTHER INFORMATION

Issue Date 28-May-2015

Revision Date 30-Jun-2022

Revision Note SDS sections updated. 1, 3, 5, 7, 8, 9, 15.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Note:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Additional information available

Safety data sheets and labels available at ATImaterials.com

from:

Revision Date 30-Jun-2022