

# SAFETY DATA SHEET

Issue Date 19-Aug-2015 Revision Date 10-Jan-2019 Version 2

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code SAC034

Product Name Hafnium Turnings

**UN/ID no** 3089

Synonyms Hafnium turnings and chips

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Alloy product manufacture

Uses advised against

1.3. Details of the supplier of the safety data sheet

**Manufacturer** 

ATI, 1000 Six PPG Place, Pittsburgh, PA 15222 USA

\_

1.4. Emergency telephone number

Emergency Telephone Chemtrec: +1-703-741-5970

# Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flammable solids Category 1

2.2. Label elements

**Emergency Overview** 

Danger

Hazard statements

Flammable solids



Appearance Metal turnings Powder

Physical state Solid; Powder

**Odour** Odourless

**Precautionary Statements - Prevention** 

Revision Date 10-Jan-2019

Wear protective gloves/protective clothing/eye protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Ground/bond container and receiving equipment

If dust clouds can occur, use explosion-proof electrical/ ventilating/lighting/equipment

**Precautionary Statements - Response** 

In case of fire: Use salt (NaCl) or class D dry powder for extinction

# 2.3 Hazards not otherwise classified (HNOC)

Not applicable

Other Information

# **Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1 Substances

**Synonyms** Hafnium turnings and chips.

Chemical Name	EC No	CAS No	Weight-%
Hafnium	231-166-4	7440-58-6	97- >99
Zirconium	231-176-9	7440-67-7	0-3

# **Section 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

If excessive amounts of smoke, fume, or particulate are inhaled during processing, remove Inhalation

to fresh air and consult a qualified health professional.

**Skin Contact** None under normal use conditions.

Eye contact In the case of particles coming in contact with eyes during processing, treat as with any

foreign object.

Ingestion IF SWALLOWED. Call a POISON CENTER or doctor/physician if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

None anticipated. **Symptoms** 

# 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

# **Section 5: FIREFIGHTING MEASURES**

# 5.1. Extinguishing media

# Suitable extinguishing media

Isolate large fires and allow to burn out. Smother small fires with salt (NaCl) or class D dry powder fire extinguisher.

# Unsuitable extinguishing media

Do not spray water on burning metal as an explosion may occur. This explosive characteristic is caused by the hydrogen and steam generated by the reaction of water with the burning material

Revision Date 10-Jan-2019

#### 5.2. Special hazards arising from the substance or mixture

Intense heat. Very fine, high surface area material resulting from processing this product may ignite spontaneously at room temperature. WARNING: Fine particles resulting from grinding, buffing, polishing, or similar processes of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimise combustible dust hazard

Hazardous combustion products Not applicable.

#### 5.3. Advice for firefighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

#### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Use personal protective equipment as required.

#### For emergency responders

Use personal protective equipment as required. Follow Emergency Response Guidebook, Guide No. 170.

#### 6.2. Environmental precautions

Collect spillage to prevent release to the environment.

# 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Sweep or shovel material into dry containers. Avoid creating uncontrolled dust.

# 6.4. Reference to other sections

Not applicable.

# Section 7: HANDLING AND STORAGE

# 7.1. Precautions for safe handling

#### Advice on safe handling

Very fine, high surface area material resulting from grinding, buffing, polishing, or similar processes of this product may ignite spontaneously at room temperature. WARNING: Fine particles resulting from grinding, buffing, polishing, or similar processes of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimise combustible dust hazard.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

# **Storage Conditions**

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). For long-term storage, keep sealed in argon-filled steel drums.

# Incompatible materials

Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above 200°C, reacts exothermically with the following: Chlorine, bromine, halocarbons, carbon tetrachloride, carbon tetrafluoride, and freon.

#### 7.3. Specific end use(s)

#### Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Hafnium 7440-58-6	-	-	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	-
Zirconium 7440-67-7	-	TWA: 5 mg/m <sup>3</sup>	-	STEL: 10 mg/m³ TWA: 5 mg/m³	TWA: 1 mg/m³ Ceiling / Peak: 1 mg/m³
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Hafnium 7440-58-6	-	TWA: 0.5 mg/m <sup>3</sup>	-	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
Zirconium 7440-67-7	-	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Hafnium 7440-58-6	STEL 5 mg/m <sup>3</sup> TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> STEL: 1.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> STEL: 1.5 mg/m <sup>3</sup>
Zirconium 7440-67-7	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m³ STEL: 10 mg/m³	TWA: 5 mg/m³ STEL: 10 mg/m³

**Derived No Effect Level (DNEL)** 

Inhalation 5 mg/m<sup>3</sup>

(PNEC)

Predicted No Effect Concentration No PNECs are available for this product.

8.2. Exposure controls

**Engineering Controls** Avoid generation of uncontrolled particles.

Personal protective equipment

Eye/face protection

When airborne particles may be present, appropriate eye protection is recommended. For example, tight-fitting goggles, foam-lined safety glasses or other protective equipment that

shield the eyes from particles.

Skin and body protection Fire/flame resistant/retardant clothing may be appropriate during hot work with the product.

Cut-resistant gloves and/or protective clothing may be appropriate when sharp surfaces are

present.

Respiratory protection When particulates/fumes/gases are generated and if exposure limits are exceeded or

irritation is experienced, proper approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminate concentrations. Respiratory protection must be provided in accordance with current local

regulations.

**Environmental exposure controls** Section 6: ACCIDENTAL RELEASE MEASURES.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

Solid; Powder Physical state

**Appearance** Metal turnings Powder Odourless Odour Colour metallic grey or Silver **Odour threshold** Not applicable

Remarks • Method **Property** <u>Values</u>

2232 °C / 4050 °F Melting point/freezing point

Boiling point / boiling range

Flash point

**Evaporation rate** Not applicable

# **SAC034 Hafnium Turnings**

Revision Date 10-Jan-2019

Flammable

Flammability (solid, gas)

Flammability Limit in Air

Upper flammability limit: Lower flammability limit

Vapour pressure-Not applicableVapour density-Not applicable

Specific Gravity 13.3 Water solubility Insoluble

Solubility(ies)

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

**Explosive properties**Not applicable

Oxidising properties
Not applicable

9.2. Other information

Softening point -

Molecular weight -

VOC Content (%) Not applicable Density -

Bulk density 220-380 lb/ft3

# **Section 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity

Not applicable .

# 10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# 10.3. Possibility of hazardous reactions

# **Hazardous polymerisation**

Hazardous polymerisation does not occur.

# **Possibility of Hazardous Reactions**

None under normal processing.

# 10.4. Conditions to avoid

Dust formation and dust accumulation.

#### 10.5. Incompatible materials

Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above 200°C, reacts exothermically with the following: Chlorine, bromine, halocarbons, carbon tetrachloride, carbon tetrafluoride, and freon.

# 10.6. Hazardous decomposition products

Not applicable.

# **Section 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

# **Product Information**

InhalationProduct not classified.Eye contactProduct not classified.Skin ContactProduct not classified.IngestionProduct not classified.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hafnium	> 5000 mg/kg bw	-	>4.3mg/L
Zirconium	5000 ma/ka bw	-	>4.3 mg/L

# Information on toxicological effects

Symptoms None known.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity Product not classified.

**Skin corrosion/irritation** Product not classified.

Serious eye damage/eye irritation Product not classified.

**Sensitisation** Product not classified.

Germ cell mutagenicity Product not classified.

Carcinogenicity Product not classified.

Reproductive toxicity Product not classified.

STOT - single exposure Product not classified.

**STOT - repeated exposure** Product not classified.

Aspiration hazard Product not classified.

# **Section 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

This product as shipped is not classified for aquatic toxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hafnium	The 72 h EC50 of hafnium to Pseudokirchneriella subcapitata was great than 8 ug of Hf/L (100% saturated solution).	The 96 h LC50 of Hafnium dioxide in water to Danio rerio was greater than the solubility limit of 0.007 mg	-	The 48 h EC50 of Hafnium dioxide to Daphnia magna was greater than the solubility limit of 0.007 mg
Zirconium	The 14 d NOEC of zirconium dichloride oxide to Chlorella vulgaris was greater than 102.5 mg of Zr/L.	The 96 h LL50 of zirconium to Danio rerio was greater than 74.03 mg/L.	-	The 48 h EC50 of zirconium dioxide to Daphnia magna was greater than 74.03 mg of Zr/L.

# 12.2. Persistence and degradability

.

# 12.3. Bioaccumulative potential

•

.

# 12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

The PBT and vPvB criteria do not apply to inorganic substances.

# 12.6. Other adverse effects

# **Section 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# **Section 14: TRANSPORT INFORMATION**

**IMDG** 

**14.1 UN/ID no** 3089

**14.2 Proper shipping name** Metal powder, flammable, n.o.s. (Hafnium)

**14.3 Hazard Class** 4.1 **14.4 Packing Group** 

14.5 Marine pollutant Not applicable

14.6 Special Provisions IB8, IP2, IP4, T3, TP33

**EmS-No** 170

14.7 Transport in bulk according to .

Annex II of MARPOL and the IBC

Code

<u>RID</u>

**14.1 UN/ID no** 3089

**14.2 Proper shipping name** Metal powder, flammable, n.o.s. (Hafnium)

14.3 Hazard Class 4.
14.4 Packing Group

14.5 Environmental hazard Not applicable

**14.6 Special Provisions** IB8, IP2, IP4, T3, TP33

ADR

**14.1 UN/ID no** 3089

**14.2 Proper shipping name** Metal powder, flammable, n.o.s. (Hafnium)

14.3 Hazard Class 4.1 14.4 Packing Group

14.5 Environmental hazard Not applicable

**14.6 Special Provisions** IB8, IP2, IP4, T3, TP33

ICAO (air)

**14.1 UN/ID no** 3089

**14.2 Proper shipping name** Metal powder, flammable, n.o.s. (Hafnium)

**14.3 Hazard Class** 4.1 **14.4 Packing Group** II

14.5 Environmental hazard Not applicable

**14.6 Special Provisions** IB8, IP2, IP4, T3, TP33

<u>IATA</u>

Revision Date 10-Jan-2019

\_\_\_\_\_

**14.1 UN/ID no** 3089

**14.2 Proper shipping name** Metal powder, flammable, n.o.s. (Hafnium)

14.3 Hazard Class 4.1
14.4 Packing Group II
Description

14.5 Environmental hazard

Not applicable

**14.6 Special Provisions** IB8, IP2, IP4, T3, TP33 170

**ERG Code** 

# Section 15: REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	French RG number	Title
Hafnium	-	-
7440-58-6		
Zirconium	-	-
7440-67-7		

# **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

# **International Inventories**

DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Not Listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# 15.2. Chemical safety assessment

No chemical safety assessment has been performed for this product.

# **Section 16: OTHER INFORMATION**

Issue Date 19-Aug-2015

Revision Date 10-Jan-2019

**Revision Note** Updated Section(s): 2, 5, 6, 7, 9, 11, 15.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

# Note:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Additional information available from:

Safety data sheets and labels available at ATImetals.com