

SAFETY DATA SHEET

Issue Date 12-Mar-2020 Revision Date 12-Mar-2020 Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code SAC053

Product Name Tungsten-Silver Bars and Donuts

Synonyms Tungsten-Silver Bars and Donuts: Silver-Infiltrated Tungsten (Product # 711)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Alloy product manufacture

Uses advised against

1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u>

ATI, 1000 Six PPG Place, Pittsburgh, PA 15222 USA

1.4. Emergency telephone number

Emergency Telephone Chemtrec: +1-703-741-5970

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not Hazardous Not a hazardous substance or mixture according to the Globally Harmonised System (GHS)

2.2. Label elements

Emergency Overview

AppearanceVarious massive productPhysical stateSolidOdourOdourOdour less

forms

2.3 Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms Tungsten-Silver Bars and Donuts: Silver-Infiltrated Tungsten, (Product # 711).

Chemical Name	EC No	CAS No	Weight-%
Tungsten	231-143-9	7440-33-7	90
Silver	231-131-3	7440-22-4	10

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation If excessive amounts of smoke, fume, or particulate are inhaled during processing, remove

to fresh air and consult a qualified health professional.

Skin Contact None under normal use conditions.

Eye contact In the case of particles coming in contact with eyes during processing, treat as with any

foreign object.

Ingestion Not an expected route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None anticipated.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Product not flammable in the form as distributed, flammable as finely divided particles or pieces resulting from processing of this product. Isolate large fires and allow to burn out. Smother small fires with salt (NaCl) or class D dry powder fire extinguisher.

Unsuitable extinguishing media

Do not spray water on burning metal as an explosion may occur. This explosive characteristic is caused by the hydrogen and steam generated by the reaction of water with the burning material

5.2. Special hazards arising from the substance or mixture

Intense heat. WARNING: Fine particles resulting from grinding, buffing, polishing, or similar processes of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimise combustible dust hazard

Hazardous combustion products Not applicable.

5.3. Advice for firefighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required.

For emergency responders

Use personal protective equipment as required.

6.2. Environmental precautions

Not applicable to massive product.

6.3. Methods and material for containment and cleaning up

Methods for containment Not applicable to massive product.

Methods for cleaning up Not applicable to massive product.

6.4. Reference to other sections

See Section 12: ECOLOGICAL INFORMATION.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

WARNING: Fine particles resulting from grinding, buffing, polishing, or similar processes of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimise combustible dust hazard.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep chips, turnings, dust, and other small particles away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Incompatible materials

Dissolves in hydrofluoric acid.

7.3. Specific end use(s)

Risk Management Methods (RMM)

Not required.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Tungsten	-	STEL: 10 mg/m ³	-	STEL: 10 mg/m ³	-
7440-33-7		TWA: 5 mg/m ³		TWA: 5 mg/m ³	
Silver	TWA 0.1 mg/m ³	STEL: 0.3 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.01 mg/m ³
7440-22-4		TWA: 0.1 mg/m ³			Ceiling / Peak: 0.02
					mg/m³
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Tungsten	-	STEL: 10 mg/m ³	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³
7440-33-7		TWA: 5 mg/m ³			
Silver	TWA: 0.1 mg/m ³	TWA: 0.01 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.01 mg/m ³
7440-22-4					
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Tungsten	STEL 10 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³
7440-33-7	TWA: 5 mg/m ³			STEL: 10 mg/m ³	STEL: 10 mg/m ³
Silver	STEL 0.1 mg/m ³	STEL: 0.02 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
7440-22-4	TWA: 0.1 mg/m ³	TWA: 0.01 mg/m ³		STEL: 0.3 mg/m ³	STEL: 0.3 mg/m ³
	Ceiling 0.1 mg/m ³				

Revision Date 12-Mar-2020

Derived No Effect Level (DNEL)No DNELs are available for this product as a whole

Predicted No Effect Concentration

(PNEC)

No PNECs are available for this product as a whole.

8.2. Exposure controls

Engineering Controls Avoid generation of uncontrolled particles.

Personal protective equipment

Eye/face protection

When airborne particles may be present, appropriate eye protection is recommended. For example, tight-fitting goggles, foam-lined safety glasses or other protective equipment that

shield the eves from particles.

Skin and body protection Fire/flame resistant/retardant clothing may be appropriate during hot work with the product.

Cut-resistant gloves and/or protective clothing may be appropriate when sharp surfaces are

present.

Respiratory protection When particulates/fumes/gases are generated and if exposure limits are exceeded or

irritation is experienced, proper approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminate concentrations. Respiratory protection must be provided in accordance with current local

regulations.

Environmental exposure controls Section 6: ACCIDENTAL RELEASE MEASURES.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Solid

AppearanceVarious massive product formsOdourOdourlessColourSilverOdour thresholdNot applicable

PropertyValuesRemarks • MethodpH-Not applicable

pH Melting point / freezing point Boiling point / boiling range Flash point -

Evaporation rate - Not applicable

Flammability (solid, gas) - Product not flammable in the form as distributed, flammable as finely divided particles or pieces

resulting from processing of this product

Not applicable

Not applicable

Flammability Limit in Air
Upper flammability limit:
Lower flammability limit

Vapour pressure Vapour density Specific Gravity 17 46

Specific Gravity 17.46 Water solubility Insoluble

Solubility(ies)

Partition coefficient-Not applicableAutoignition temperature-Not applicableDecomposition temperature-Not applicableKinematic viscosity-Not applicableDynamic viscosity-Not applicableNot applicableNot applicable

Explosive properties Not applicable Oxidising properties Not applicable

9.2. Other information

Softening point - Molecular weight -

VOC Content (%) Not applicable

Density

Bulk density 1090 lb/ft3

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not applicable .

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Hazardous polymerisation

Hazardous polymerisation does not occur.

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Dust formation and dust accumulation.

10.5. Incompatible materials

Dissolves in hydrofluoric acid.

10.6. Hazardous decomposition products

Not applicable.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

InhalationNot an expected route of exposure for product in massive form.Eye contactNot an expected route of exposure for product in massive form.

Skin Contact Product not classified.

Ingestion Not an expected route of exposure for product in massive form.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Tungsten	> 2000 mg/kg bw	> 2000 mg/kg bw	> 5.4 mg/L
Silver	2000	-	-

Information on toxicological effects

Symptoms None known.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity Product not classified.

Skin corrosion/irritation Product not classified.

Serious eye damage/eye irritation Product not classified.

Sensitisation Product not classified.

Germ cell mutagenicity Product not classified.

Carcinogenicity Product not classified.

Reproductive toxicity Product not classified.

STOT - single exposure Product not classified.

STOT - repeated exposure Product not classified.

Aspiration hazard Product not classified.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

This product as shipped is not classified for aquatic toxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Tungsten	The 72 h EC50 of sodium tungstate to	The 96 h LC50 of sodium tungstate to Danio rerio	The 30 min EC50 of sodium tungstate for	The 48 h EC50 of sodium tungstate to Daphnia
	Pseudokirchnerella	was greater than 106 mg	activated sludge were	magna was greater than
	subcapitata was 31.0 mg	of W/L.	greater than 1000 mg/L.	96 mg of W/L.
	of W/L.			
Silver	The 24 h EC10 of silver	The 96 h LC50 of silver	The 13.3 min NOEC of	The 48 h LC50 of silver
	nitrate to	nitrate to Pimephales	silver nitrate for nitrifying	nitrate to Daphnia magna
	Pseudokirchnerella	promelas was 1.2 µg of	bacteria was 0.025 mg	was between 0.18 and
	subcapitata was 0.41 µg of	Ag/L	Ag/L.	0.26 μg of Ag/L.
	Ag/L.			

12.2. Persistence and degradability

.

12.3. Bioaccumulative potential

.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

The PBT and vPvB criteria do not apply to inorganic substances.

12.6. Other adverse effects

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging None anticipated.

Section 14: TRANSPORT INFORMATION

ı	ī	М		
ı	ľ	И	v	J

egulated
egulated
egulated
egulated
pplicable

14.7 Transport in bulk according to Not applicable

Annex II of MARPOL and the IBC

Code

RID

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable

14.6 Special Provisions None

ADR	
14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable

14.6 Special Provisions None

ICAO (air)

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not applicable
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

14.6 Special Provisions

IATA

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
Description	Not applicable
14.5 Environmental hazard	Not applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	French RG number	Title
Tungsten	-	-
7440-33-7		
Silver	-	-
7440-22-4		

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Revision Date 12-Mar-2020

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

International Inventories

DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No chemical safety assessment has been performed for this product.

Section 16: OTHER INFORMATION

Issue Date 12-Mar-2020

Revision Date 12-Mar-2020

Revision Note Updated to comply with GHS.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Note:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Additional information available Safety data sheets and labels available at ATImetals.com

from: