



# SAFETY DATA SHEET

Issue Date 06-Aug-2020

Revision Date 06-Aug-2021

Version G

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Code** SAC057  
**Product Name** Zirconium/Magnesium Undistilled Chips

**UN/ID no** 3208  
**Synonyms** Zirconium/Magnesium Undistilled Chips: Product # 1000064

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Alloy product manufacture

**Uses advised against**

### 1.3. Details of the supplier of the safety data sheet

**Manufacturer**  
ATI, 1000 Six PPG Place, Pittsburgh, PA 15222 USA

### 1.4. Emergency telephone number

**Emergency Telephone** Chemtrec: +1-703-741-5970

## Section 2: HAZARDS IDENTIFICATION

This material is classified per Regulation (EC) No 1272/2008.

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Substances or mixtures which, in contact with water, emit flammable gases	Category 3
---	------------

### 2.2. Label elements

#### Emergency Overview

#### Warning

#### Hazard statements

In contact with water releases flammable gases



**Appearance** Chips

**Physical state** Solid

**Odour** Odourless

**Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection  
 Handle under inert gas  
 Protect from moisture

**Precautionary Statements - Response**

In case of fire: Use salt (NaCl) or class D dry powder for extinction

**Precautionary Statements - Storage**

Store in a dry place  
 Store in a closed container

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**2.3 Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

When product is subjected to welding, burning, melting, sawing, brazing, grinding, buffing, polishing, or other similar heat-generating processes, the following potentially hazardous airborne particles and/or fumes may be generated: Zinc, copper, magnesium, or cadmium fumes may cause metal fume fever.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

**3.1 Substances****Synonyms**

Zirconium/Magnesium Undistilled Chips: Product # 1000064.

Chemical Name	EC No	CAS No	Weight-%
Zirconium	231-176-9	7440-67-7	55 - 65
Magnesium	231-104-6	7439-95-4	35 - 45
Magnesium Chloride	232-094-6	7786-30-3	4 - 9

## Section 4: FIRST AID MEASURES

**4.1. Description of first aid measures**

<b>Inhalation</b>	If fumes from reactions are inhaled, move to fresh air immediately. Call a doctor or poison control centre immediately.
<b>Skin Contact</b>	None under normal use conditions.
<b>Eye contact</b>	In the case of particles coming in contact with eyes during processing, treat as with any foreign object.
<b>Ingestion</b>	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

**4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms** None anticipated.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Note to doctors** Treat symptomatically.

## Section 5: FIREFIGHTING MEASURES

**5.1. Extinguishing media**

**Suitable extinguishing media**

Product not flammable in the form as distributed, flammable as finely divided particles or pieces resulting from processing of this product. Isolate large fires and allow to burn out. Smother small fires with salt (NaCl) or class D dry powder fire extinguisher.

**Unsuitable extinguishing media**

Do not spray water on burning metal as an explosion may occur. This explosive characteristic is caused by the hydrogen and steam generated by the reaction of water with the burning material. If a fire occurs in the area, avoid water contact with the product to prevent evolution of hazardous gases.

**5.2. Special hazards arising from the substance or mixture**

Intense heat. Very fine, high surface area material resulting from processing this product may ignite spontaneously at room temperature. **WARNING:** Fine particles of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimise combustible dust hazard.

**Hazardous combustion products** Zinc, copper, magnesium, or cadmium fumes may cause metal fume fever. Hydrogen chloride gas may cause respiratory and/or eye irritation.

**5.3. Advice for firefighters**

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

**Section 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures****Personal precautions**

Use personal protective equipment as required.

**For emergency responders**

Use personal protective equipment as required. Follow Emergency Response Guidebook, Guide No. 138.

**6.2. Environmental precautions**

Collect spillage to prevent release to the environment.

**6.3. Methods and material for containment and cleaning up****Methods for containment**

Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**

Sweep or shovel material into dry containers. Avoid creating uncontrolled dust. Wash the spill location thoroughly with water - remaining magnesium chloride residue would cause the floor to become slippery.

**6.4. Reference to other sections**

See Section 12: ECOLOGICAL INFORMATION.

**Section 7: HANDLING AND STORAGE****7.1. Precautions for safe handling****Advice on safe handling**

Very fine, high surface area material resulting from grinding, buffing, polishing, or similar processes of this product may ignite spontaneously at room temperature. **WARNING:** Fine particles of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimise combustible dust hazard. Protect from moisture. In contact with water releases flammable gases.

**General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage Conditions**

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Store in a dry place. Store in a closed container.

**Incompatible materials**

Unintentional contact with water. Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above 200°C, reacts exothermically with the following: Chlorine, bromine, halocarbons, carbon tetrachloride, carbon tetrafluoride, and freon.

**7.3. Specific end use(s)****Risk Management Methods (RMM)**

The information required is contained in this Safety Data Sheet.

**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Zirconium 7440-67-7	-	TWA: 5 mg/m <sup>3</sup>	-	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> Ceiling / Peak: 1 mg/m <sup>3</sup>
Magnesium 7439-95-4	-	-	-	-	-
Magnesium Chloride 7786-30-3	-	-	-	-	-
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Zirconium 7440-67-7	-	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Magnesium 7439-95-4	-	-	-	-	-
Magnesium Chloride 7786-30-3	-	-	-	-	-
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Zirconium 7440-67-7	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
Magnesium 7439-95-4	-	-	-	-	-
Magnesium Chloride 7786-30-3	-	-	-	-	-

**Derived No Effect Level (DNEL)** No DNELs are available for this product as a whole

**Predicted No Effect Concentration (PNEC)** No PNECs are available for this product as a whole.

**8.2. Exposure controls**

**Engineering Controls** Avoid generation of uncontrolled particles.

**Personal protective equipment****Eye/face protection**

When airborne particles may be present, appropriate eye protection is recommended. For example, tight-fitting goggles, foam-lined safety glasses or other protective equipment that shield the eyes from particles.

**Skin and body protection**

Fire/flame resistant/retardant clothing may be appropriate during hot work with the product. Wear protective gloves.

**Respiratory protection**

When particulates/fumes/gases are generated and if exposure limits are exceeded or irritation is experienced, proper approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminate concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Environmental exposure controls** Section 6: ACCIDENTAL RELEASE MEASURES.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Solid	<b>Odour</b>	Odourless
<b>Appearance</b>	Chips	<b>Odour threshold</b>	Not applicable
<b>Colour</b>	Metallic grey or Silver		
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>	
<b>pH</b>	-	Not applicable	
<b>Melting point / freezing point</b>	-		
<b>Boiling point / boiling range</b>	-		
<b>Flash point</b>	-		
<b>Evaporation rate</b>	-	Not applicable	
<b>Flammability (solid, gas)</b>	-	Product not flammable in the form as distributed, flammable as finely divided particles or pieces resulting from processing of this product	
<b>Flammability Limit in Air</b>			
<b>Upper flammability limit:</b>		-	
<b>Lower flammability limit</b>		-	
<b>Vapour pressure</b>	-	Not applicable	
<b>Vapour density</b>	-	Not applicable	
<b>Specific Gravity</b>	-		
<b>Water solubility</b>	-		
<b>Solubility(ies)</b>	-		
<b>Partition coefficient</b>	-	Not applicable	
<b>Autoignition temperature</b>	-	Not applicable	
<b>Decomposition temperature</b>	-	Not applicable	
<b>Kinematic viscosity</b>	-	Not applicable	
<b>Dynamic viscosity</b>	-	Not applicable	
<b>Explosive properties</b>	Not applicable		
<b>Oxidising properties</b>	Not applicable		

### 9.2. Other information

<b>Softening point</b>	-
<b>Molecular weight</b>	-
<b>VOC Content (%)</b>	Not applicable
<b>Density</b>	-
<b>Bulk density</b>	-

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reacts with water

### 10.2. Chemical stability

Stable under normal conditions.

#### Explosion data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

### 10.3. Possibility of hazardous reactions

#### **Hazardous polymerisation**

Hazardous polymerisation does not occur.

#### **Possibility of Hazardous Reactions**

Reacts with water.

**10.4. Conditions to avoid**

Dust formation and dust accumulation. Unintentional contact with water. When mixed with water, heat, steam, and possibly hydrogen and hydrogen sulfide gas may be generated. Do not mix magnesium chloride with water except in a well-ventilated area, under conditions where heat and any gas that may evolve can easily dissipate.

**10.5. Incompatible materials**

Unintentional contact with water. Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above 200°C, reacts exothermically with the following: Chlorine, bromine, halocarbons, carbon tetrachloride, carbon tetrafluoride, and freon.

**10.6. Hazardous decomposition products**

None while dry and cool. Magnesium chloride heated above 110°C in the presence of moisture will evolve hydrogen chloride fumes.

## Section 11: TOXICOLOGICAL INFORMATION

**11.1. Information on toxicological effects****Product Information**

<b>Inhalation</b>	Product not classified.
<b>Eye contact</b>	Product not classified.
<b>Skin Contact</b>	Product not classified.
<b>Ingestion</b>	Product not classified.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zirconium	> 5000 mg/kg bw	-	>4.3 mg/L
Magnesium	>2000 mg/kg bw	-	-
Magnesium Chloride	5000 mg/kg bw	>2000 mg/kg bw	-

**Information on toxicological effects**

**Symptoms** None known.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Acute toxicity** Product not classified.

**Skin corrosion/irritation** Product not classified.

**Serious eye damage/eye irritation** Product not classified.

**Sensitisation** Product not classified.

**Germ cell mutagenicity** Product not classified.

**Carcinogenicity** Product not classified.

**Reproductive toxicity** Product not classified.

**STOT - single exposure** Product not classified.

**STOT - repeated exposure** Product not classified.

**Aspiration hazard** Product not classified.

## Section 12: ECOLOGICAL INFORMATION

**12.1. Toxicity**

This product as shipped is not classified for aquatic toxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Zirconium	The 14 d NOEC of zirconium dichloride oxide to <i>Chlorella vulgaris</i> was greater than 102.5 mg of Zr/L.	The 96 h LL50 of zirconium to <i>Danio rerio</i> was greater than 74.03 mg/L.	-	The 48 h EC50 of zirconium dioxide to <i>Daphnia magna</i> was greater than 74.03 mg of Zr/L.
Magnesium	The 72 h EC50 of magnesium chloride hexahydrate to <i>Desmodesmus subspicatus</i> was greater than 12 mg of Mg/L.	The 96 h LC50 of magnesium chloride to <i>Pimephales promelas</i> was 541 mg of Mg/L.	The 3 h EC50 of magnesium chloride hexahydrate for activated sludge was greater than 108 mg of Mg/L.	The 48 h LC50 of magnesium chloride to <i>Ceriodaphnia dubia</i> was 225 mg of Mg/L. The 48 h LC50 of magnesium chloride hexahydrate to <i>Daphnia magna</i> was 322 mg of Mg/L.
Magnesium Chloride	The 72 h EC50 of magnesium chloride to <i>Desmodesmus subspicatus</i> was greater than 100 mg of MgCl <sub>2</sub> /L.	The 96 h LC50 of magnesium chloride to <i>Pimephales promelas</i> was 2119.3 mg of MgCl <sub>2</sub> /L.	The 3 h EC50 of magnesium chloride for activated sludge was greater than 900 mg of MgCl <sub>2</sub> /L.	The 48 h LC50 of magnesium chloride hexahydrate to <i>Daphnia magna</i> was 548.4 mg of MgCl <sub>2</sub> /L.

**12.2. Persistence and degradability****12.3. Bioaccumulative potential****12.4. Mobility in soil****12.5. Results of PBT and vPvB assessment**

The PBT and vPvB criteria do not apply to inorganic substances.

**12.6. Other adverse effects**

## Section 13: DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods****Waste from residues/unused products**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

**IMDG**

14.1 UN/ID no	3208
14.2 Proper shipping name	Metallic substance, water reactive, n.o.s. (Magnesium Chloride)
14.3 Hazard Class	4.3
14.4 Packing Group	III
14.5 Marine pollutant	Not applicable
14.6 Special Provisions	IB8, IP4, T1, TP33

**14.7 Transport in bulk according to** Not applicable

Annex II of MARPOL and the IBC

Code

**RID**

14.1 UN/ID no	3208
14.2 Proper shipping name	Metallic substance, water reactive, n.o.s. (Magnesium Chloride)
14.3 Hazard Class	4.3
14.4 Packing Group	III
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	IB8, IP4, T1, TP33

**ADR**

14.1 UN/ID no	3208
14.2 Proper shipping name	Metallic substance, water reactive, n.o.s. (Magnesium Chloride)
14.3 Hazard Class	4.3
14.4 Packing Group	III
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	IB8, IP4, T1, TP33

**ICAO (air)**

14.1 UN/ID no	3208
14.2 Proper shipping name	Metallic substance, water reactive, n.o.s. (Magnesium Chloride)
14.3 Hazard Class	4.3
14.4 Packing Group	III
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	IB8, IP4, T1, TP33

**IATA**

14.1 UN/ID no	3208
14.2 Proper shipping name	Metallic substance, water reactive, n.o.s. (Magnesium Chloride)
14.3 Hazard Class	4.3
14.4 Packing Group	III
Description	Not applicable
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	IB8, IP4, T1, TP33 <b>ERG</b> 138
	<b>Code</b>

<b>Section 15: REGULATORY INFORMATION</b>
---

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Chemical Name	French RG number	Title
Zirconium 7440-67-7	-	-
Magnesium 7439-95-4	-	-
Magnesium Chloride 7786-30-3	-	-

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

**Authorisations and/or restrictions on use:**

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).



**International Inventories**

<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**15.2. Chemical safety assessment**

No chemical safety assessment has been performed for this product.

**Section 16: OTHER INFORMATION**

<b>Issue Date</b>	06-Aug-2020
<b>Revision Date</b>	06-Aug-2021
<b>Revision Note</b>	SDS sections updated: 1, 3.

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

**Note:**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**

**Additional information available from:** Safety data sheets and labels available at ATImetals.com