



# SAFETY DATA SHEET

Issue Date 28-May-2015

Revision Date 21-Jan-2026

Version 8

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

### Product identifier

**Product Name** Zirconium Sponge (distilled)  
**Product Code** SAC002

### Other means of identification

**UN/ID No.** 3089  
**Synonyms** All quality grades of zirconium sponge (distilled), Kroll Process Zirconium Metal (Product #302), including but not limited to item numbers: 1000087, 1000087NR, 1000344, 1017035, 1017059, 1017215, 1017218

**Registration Number(s)**

### Recommended use of the chemical and restrictions on use

**Recommended Use** Alloy product manufacture

**Uses advised against**

### Details of the supplier of the safety data sheet

#### Manufacturer

ATI Specialty Alloys & Components, 1600 Old Salem Rd NE, Albany, OR 97321 USA ATI SDS Manager: +1-412-225-4911

#### Emergency telephone number

**Emergency Telephone** Chemtrec +1 703-741-5970

## Section 2: HAZARDS IDENTIFICATION

### Classification of the substance or mixture

Flammable solids	Category 1
------------------	------------

### Label elements

#### Emergency Overview

**Signal word** Danger

#### **Hazard statements**

Flammable solid



<b>Appearance</b> Sponge	<b>Physical state</b> Solid	<b>Odor</b> Odorless
--------------------------	-----------------------------	----------------------

**Precautionary Statements - Prevention**

- Wear protective gloves/eye protection/face protection
- Keep away from heat/sparks/open flames/hot surfaces. - No smoking
- Ground/bond container and receiving equipment
- If dust clouds can occur, use explosion-proof electrical/ ventilating/lighting/equipment

**Precautionary Statements - Response**

- In case of fire: Use salt (NaCl) or class D dry powder for extinction

**Precautionary Statements - Storage****Precautionary Statements - Disposal****Other Information**

Hazards not otherwise classified (HNOC)

- Not applicable

**Section 3: COMPOSITION/INFORMATION ON INGREDIENTS****Synonyms**

All quality grades of zirconium sponge (distilled), Kroll Process Zirconium Metal (Product #302), including but not limited to item numbers: 1000087, 1000087NR, 1000344, 1017035, 1017059, 1017215, 1017218

Chemical Name	Weight-%	ENCS	ISHL No.	CAS No.
Zirconium 7440-67-7	>99	-	-	7440-67-7

Chemical Name	Poisonous and Deleterious Substances Control Law	
Zirconium 7440-67-7	-	
Chemical Name	Class 1	Class 2
Zirconium 7440-67-7	-	-

**Section 4: FIRST AID MEASURES**

<b>Inhalation</b>	If excessive amounts of smoke, fume, or particulate are inhaled during processing, remove to fresh air and consult a qualified health professional.
<b>Skin Contact</b>	None under normal use conditions.
<b>Eye contact</b>	In the case of particles coming in contact with eyes during processing, treat as with any foreign object.
<b>Ingestion</b>	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
<b>Symptoms</b>	None anticipated.
<b>Inhalation</b>	Product not classified.
<b>Skin Contact</b>	Product not classified.
<b>Eye contact</b>	Product not classified.
<b>Ingestion</b>	Product not classified.
<b>Note to physicians</b>	Treat symptomatically.

**Section 5: FIRE FIGHTING MEASURES**

<b>Flammable properties</b>	Flammable.
<b>Explosive properties</b>	Not applicable.
<b>Suitable extinguishing media</b>	Isolate large fires and allow to burn out. Smother small fires with salt (NaCl) or class D dry powder fire extinguisher.
<b>Unsuitable extinguishing media</b>	Do not spray water on burning metal as an explosion may occur. This explosive characteristic is caused by the hydrogen and steam generated by the reaction of water with the burning material.
<b>Specific hazards arising from the chemical</b>	Intense heat. Very fine, high surface area material resulting from processing this product may ignite spontaneously at room temperature. WARNING: Fine particles of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimize combustible dust hazard.
<b>Hazardous combustion products</b>	Not applicable.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Use personal protective equipment as required.
<b>For emergency responders</b>	Use personal protective equipment as required. Follow Emergency Response Guidebook, Guide No. 170.
<b>Environmental precautions</b>	Collect spillage to prevent release to the environment.
<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Sweep or shovel material into dry containers using non-sparking tools. Avoid creating uncontrolled dust.

## Section 7: HANDLING AND STORAGE

### Handling

<b>Advice on safe handling</b>	Very fine, high surface area material resulting from processing this product may ignite spontaneously at room temperature. WARNING: Fine particles of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimize combustible dust hazard.
--------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### Storage

<b>Storage Conditions</b>	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). For long-term storage, keep sealed in argon-filled steel drums.
<b>Incompatible materials</b>	Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above 200°C, reacts exothermically with the following: chlorine, bromine, halocarbons, carbon tetrachloride, carbon tetrafluoride, and freon.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	Japan	ISHL Working Environmental Evaluation Standards - Administrative Control Levels	ACGIH TLV
Zirconium	-	-	STEL: 10 mg/m <sup>3</sup> STEL: 10

7440-67-7			mg/m <sup>3</sup> Zr TWA: 5 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> Zr
-----------	--	--	---------------------------------------------------------------------------------

**Derived No Effect Level (DNEL)****Engineering Controls**

Avoid generation of uncontrolled particles.

**Personal Protective Equipment****Respiratory protection**

When particulates/fumes/gases are generated and if exposure limits are exceeded or irritation is experienced, proper approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Eye/face protection**

When airborne particles may be present, appropriate eye protection is recommended. For example, tight-fitting goggles, foam-lined safety glasses or other protective equipment that shield the eyes from particles.

**Skin and body protection**

Fire/flame resistant/retardant clothing may be appropriate during hot work with the product. Cut-resistant gloves and/or protective clothing may be appropriate when sharp surfaces are present.

**General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state</b>	Solid	<b>Odor</b>	Odorless
<b>Appearance</b>	Sponge	<b>Odor threshold</b>	Not applicable
<b>Color</b>	Metallic gray or silver		
<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>	
pH	-	Not applicable	
Melting point / freezing point	1850 °C / 3360 °F		
Boiling point / boiling range	-		
Flash point	-		
Evaporation rate	-	Not applicable	
Flammability (solid, gas)	-	Flammable	
Flammability Limit in Air	-		
Upper flammability limit:	-		
Lower flammability limit:	-		
Vapor pressure	-	Not applicable	
Vapor density	-	Not applicable	
Specific Gravity	6.49		
Water solubility	Insoluble		
Solubility(ies)	-		
Partition coefficient	-	Not applicable	
Autoignition temperature	-	Not applicable	
Decomposition temperature	-	Not applicable	
Kinematic viscosity	-	Not applicable	
Dynamic viscosity	-	Not applicable	
Explosive properties	Not applicable		
Oxidizing properties	Not applicable		
Softening point	-		
Molecular weight	-		
VOC Content (%)	Not applicable		
Density	-		
Bulk density	-		

## Section 10: STABILITY AND REACTIVITY

**Reactivity**

Not applicable

**Stability** Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge May be ignited by heat, sparks or flames.

**Possibility of Hazardous Reactions** None under normal processing**Hazardous polymerization** Hazardous polymerization does not occur**Conditions to avoid** Dust formation and dust accumulation**Incompatible materials** Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above 200°C, reacts exothermically with the following: chlorine, bromine, halocarbons, carbon tetrachloride, carbon tetrafluoride, and freon.**Hazardous Decomposition Products** Not applicable**Section 11: TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information****Inhalation** Product not classified.**Eye contact** Product not classified.**Skin Contact** Product not classified.**Ingestion** Product not classified.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zirconium 7440-67-7	> 5000 mg/kg bw	-	>4.3 mg/L

**Information on toxicological effects****Symptoms** None known.**Acute toxicity****Numerical measures of toxicity - Product Information****Numerical measures of toxicity - Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zirconium	> 5000 mg/kg bw	-	>4.3 mg/L

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Skin corrosion/irritation** Product not classified.**Serious eye damage/eye irritation** Product not classified.**Sensitization** Product not classified.

**Germ cell mutagenicity** Product not classified.

**Carcinogenicity** Product not classified.

Chemical Name	Japan	IARC
Zirconium 7440-67-7		-

**Reproductive toxicity** Product not classified.

**STOT - single exposure** Product not classified.

**STOT - repeated exposure** Product not classified.

#### Target Organ Effects

**Aspiration hazard** Product not classified.

## Section 12: ECOLOGICAL INFORMATION

### Ecotoxicity

This product as shipped is not classified for aquatic toxicity.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Zirconium	<i>The 14 d NOEC of zirconium dichloride oxide to Chlorella vulgaris was greater than 102.5 mg of Zr/L.</i>	<i>The 96 h LL50 of zirconium to Danio rerio was greater than 74.03 mg/L.</i>	-	<i>The 48 h EC50 of zirconium dioxide to Daphnia magna was greater than 74.03 mg of Zr/L.</i>

### Persistence and degradability

### Bioaccumulation

### Mobility

### Other adverse effects

Chemical Name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Zirconium	-	-	-

## Section 13: DISPOSAL CONSIDERATIONS

**Waste from residues/unused products** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORT INFORMATION

**UN Number** 3089  
**Packing Group** II  
**Proper shipping name** Metal powder, flammable, n.o.s. (Zirconium Sponge)

**Hazard Class** 4.1  
**Special Provisions** IB8, IP2, IP4, T3, TP33

**IMDG**

**Proper shipping name** Metal powder, flammable, n.o.s. (Zirconium Sponge)  
**Hazard Class** 4.1  
**UN/ID No.** 3089  
**Packing Group** II  
**Special Provisions** IB8, IP2, IP4, T3, TP33

**ICAO (air)**

**UN/ID No.** 3089  
**Proper shipping name** Metal powder, flammable, n.o.s. (Zirconium Sponge)  
**Hazard Class** 4.1  
**Packing Group** II  
**Special Provisions** IB8, IP2, IP4, T3, TP33

**ADR**

**UN/ID No.** 3089  
**Proper shipping name** Metal powder, flammable, n.o.s. (Zirconium Sponge)  
**Hazard Class** 4.1  
**Packing Group** II  
**ERG Code** 170  
**Special Provisions** IB8, IP2, IP4, T3, TP33

**IATA**

**UN/ID No.** 3089  
**Proper shipping name** Metal powder, flammable, n.o.s. (Zirconium Sponge)  
**Hazard Class** 4.1  
**Packing Group** II  
**Special Provisions** IB8, IP2, IP4, T3, TP33

Japan

UN Number 3089  
 Proper shipping name Metal powder, flammable, n.o.s. (Zirconium Sponge)  
 Hazard Class 4.1  
 Packing Group II  
 Special Provisions IB8, IP2, IP4, T3, TP33

## Section 15: REGULATORY INFORMATION

**International Inventories**

**DSL/NDL** Complies  
**EINECS/ELINCS** Complies  
**ENCS** Complies  
**IECSC** Complies  
**KECL** Complies  
**PICCS** Complies  
**AICS** Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

Chemical Name	Dangerous Substances	organic solvents	Harmful Substances Whose Names Are	ISHL - Prevention of Hazards Due to Specified	Prevention of Lead Poisoning
---------------	----------------------	------------------	------------------------------------	-----------------------------------------------	------------------------------

			to be Indicated on the Label	Chemical Substances (Class 2)	
Zirconium 7440-67-7	>1 %	Not applicable	Not applicable	-	-

Chemical Name	Class 2	Class 1	Poisonous and Deleterious Substances Control Law	Fire Service Law:
Zirconium 7440-67-7	-	-	Not applicable	Class 2

Fire Service Law: -

## Section 16: OTHER INFORMATION

### Prepared By

Issue Date 28-May-2015

Revision Date 21-Jan-2026

Revision Note SDS sections updated: 2, 14.

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Note:

This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan)

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### End of Safety Data Sheet

Additional information available from: Safety data sheets and labels available at ATImaterials.com