

SAFETY DATA SHEET

Issue Date 28-May-2015 Revision Date 09-Sep-2021 Version 6

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Zirconium Sponge (distilled)

Product Code SAC002

Other means of identification

UN/ID No. 3089

Synonyms All quality grades of zirconium sponge (distilled), Kroll Process Zirconium Metal (Product

#302), including but not limited to item numbers: 1000087, 1000087NR, 1000344, 1017035,

1017059, 1017215, 1017218

Registration Number(s)

Recommended use of the chemical and restrictions on use
Recommended Use
Alloy product manufacture

Uses advised against

Details of the supplier of the safety data sheet

Manufacturer

ATI, 1000 Six PPG Place, Pittsburgh, PA 15222 USA

Emergency telephone number

Emergency Telephone Chemtrec +1 703-741-5970

Section 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Flammable solids Category 2

Label elements

Emergency Overview

Hazard statements
Flammable solid

Appearance Sponge Physical state Solid Odor Odorless

Precautionary Statements - Prevention

- Wear protective gloves/eye protection/face protection
- · Keep away from heat/sparks/open flames/hot surfaces. No smoking
- · Ground/bond container and receiving equipment
- If dust clouds can occur, use explosion-proof electrical/ ventilating/lighting/equipment

Precautionary Statements - Response

• In case of fire: Use salt (NaCl) or class D dry powder for extinction

Precautionary Statements - Storage

Precautionary Statements - Disposal

Other Information

Hazards not otherwise classified (HNOC)

· Not applicable

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms All quality grades of zirconium sponge (distilled), Kroll Process Zirconium Metal (Product

#302), including but not limited to item numbers: 1000087, 1000087NR, 1000344, 1017035,

1017059, 1017215, 1017218

Chemical Name	Weight-%	ENCS	ISHL No.	CAS No.
Zirconium	>99	-	-	7440-67-7
7440-67-7				

Chemical Name	Poisonous and De	Poisonous and Deleterious Substances Control Law	
Zirconium		-	
7440-67-7			
Chemical Name	Class 1	Class 2	
Zirconium	-	-	
7440-67-7			

Section 4: FIRST AID MEASURES

Inhalation If excessive amounts of smoke, fume, or particulate are inhaled during processing, remove

to fresh air and consult a qualified health professional.

Skin Contact None under normal use conditions.

Eye contact In the case of particles coming in contact with eyes during processing, treat as with any

foreign object.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Symptoms None anticipated.

Inhalation Product not classified.

Skin Contact Product not classified.

Eye contact Product not classified.

Ingestion Product not classified.

Section 5: FIRE FIGHTING MEASURES

2/8

Japan; English

Flammable properties Flammable.

Explosive properties Not applicable.

Suitable extinguishing media Isolate large fires and allow to burn out. Smother small fires with salt (NaCl) or class D dry

powder fire extinguisher.

Unsuitable extinguishing media Do not spray water on burning metal as an explosion may occur. This explosive

characteristic is caused by the hydrogen and steam generated by the reaction of water with

the burning material.

Specific hazards arising from the

chemical

Intense heat. Very fine, high surface area material resulting from processing this product may ignite spontaneously at room temperature. WARNING: Fine particles of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to minimize combustible dust

hazard.

Hazardous combustion products Not applicable.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautionsUse personal protective equipment as required.

Guide No. 170.

Environmental precautionsCollect spillage to prevent release to the environment.

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Sweep or shovel material into dry containers using non-sparking tools. Avoid creating

uncontrolled dust.

Section 7: HANDLING AND STORAGE

Handling

Advice on safe handling Very fine, high surface area material resulting from grinding, buffing, polishing, or similar

processes of this product may ignite spontaneously at room temperature. WARNING: Fine particles of this product may form combustible dust-air mixtures. Keep particles away from all ignition sources including heat, sparks, and flame. Prevent dust accumulations to

minimize combustible dust hazard.

Storage

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). For long-term storage, keep sealed in argon-filled steel drums.

Incompatible materials Dissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above

200°C, reacts exothermically with the following: chlorine, bromine, halocarbons, carbon

tetrachloride, carbon tetrafluoride, and freon.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	Japan	ISHL Working Environmental	ACGIH TLV
	-	Evaluation Standards -	
		Administrative Control Levels	

Zirconium	-	-	STEL: 10 mg/m ³ STEL: 10
7440-67-7			mg/m³ Zr
			TWA: 5 mg/m³ TWA: 5 mg/m³
			Zr

Derived No Effect Level (DNEL) Engineering Controls

Avoid generation of uncontrolled particles.

Personal Protective Equipment

Respiratory protection

When particulates/fumes/gases are generated and if exposure limits are exceeded or irritation is experienced, proper approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Eye/face protection

When airborne particles may be present, appropriate eye protection is recommended. For example, tight-fitting goggles, foam-lined safety glasses or other protective equipment that shield the eyes from particles.

Skin and body protection

Fire/flame resistant/retardant clothing may be appropriate during hot work with the product. Cut-resistant gloves and/or protective clothing may be appropriate when sharp surfaces are

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Flammable

present.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state Solid

Appearance Sponge Odor Odorless Metallic gray or silver Not applicable Color Odor threshold

Property Values Remarks • Method Not applicable 1850 °C / 3360 °F

Melting point / freezing point

Boiling point / boiling range

Flash point **Evaporation rate** Flammability (solid, gas)

Flammability Limit in Air **Upper flammability limit:** Lower flammability limit:

Vapor pressure Vapor density **Specific Gravity** 6.49 Insoluble

Water solubility Solubility(ies)

Partition coefficient **Autoignition temperature Decomposition temperature** Kinematic viscosity Dynamic viscosity

Explosive properties Not applicable Not applicable Oxidizing properties

Softening point Molecular weight

VOC Content (%) Not applicable

Density **Bulk density**

Not applicable Not applicable Not applicable

Section 10: STABILITY AND REACTIVITY

Japan; English

Reactivity

Not applicable

Stability Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge May be ignited by heat, sparks or flames.

Possibility of Hazardous Reactions None under normal processing

Hazardous polymerization Hazardous polymerization does not occur

Conditions to avoid Dust formation and dust accumulation

Incompatible materialsDissolves in hydrofluoric acid. Ignites in the presence of fluorine. When heated above

200°C, reacts exothermically with the following: chlorine, bromine, halocarbons, carbon

tetrachloride, carbon tetrafluoride, and freon.

Hazardous Decomposition Products Not applicable

Section 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Product not classified.

Eye contact Product not classified.

Skin Contact Product not classified.

Ingestion Product not classified.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zirconium	> 5000 mg/kg bw	-	>4.3 mg/L
7440-67-7			

Information on toxicological effects

Symptoms None known.

Acute toxicity

Numerical measures of toxicity - Product Information

Numerical measures of toxicity - Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Zirconium	> 5000 mg/kg bw	-	>4.3 mg/L	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Product not classified.

Serious eye damage/eye irritation Product not classified.

SAC002 Zirconium Sponge (distilled)

Sensitization Product not classified.

Germ cell mutagenicity Product not classified.

Carcinogenicity Product not classified.

Chemical Name	Japan	IARC
Zirconium		-
7440-67-7		

Reproductive toxicity Product not classified.

STOT - single exposure Product not classified.

STOT - repeated exposure Product not classified.

Aspiration hazard Product not classified.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

This product as shipped is not classified for aquatic toxicity.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Zirconium	The 14 d NOEC of	The 96 h LL50 of	-	The 48 h EC50 of
	zirconium dichloride	zirconium to Danio rerio		zirconium dioxide to
	oxide to Chlorella	was greater than 74.03		Daphnia magna was
	vulgaris was greater	mg/L.		greater than 74.03 mg
	than 102.5 mg of Zr/L.	-		of Zr/L.

Persistence and degradability

Bioaccumulation

Mobility

Other adverse effects

Chemical Name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Zirconium	_	-	-

Section 13: DISPOSAL CONSIDERATIONS

Waste from residues/unused

products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Section 14: TRANSPORT INFORMATION

UN Number 3089 Packing Group III

Proper shipping name Metal powder, flammable, n.o.s. (Zirconium Sponge)

Hazard Class 4.1

Page 6/8

Revision Date 09-Sep-2021

SAC002 Zirconium Sponge (distilled)

Special Provisions IB6, T1, TP33

IMDG

Proper shipping name Metal powder, flammable, n.o.s. (Zirconium Sponge)

Hazard Class 4.1 UN/ID No. 3089 Packing Group III

Special Provisions IB6, T1, TP33

ICAO (air)

UN/ID No. 3089

Proper shipping name Metal powder, flammable, n.o.s. (Zirconium Sponge)

Hazard Class 4.1 Packing Group

Special Provisions IB6, T1, TP33

ADR

UN/ID No. 3089

Proper shipping name Metal powder, flammable, n.o.s. (Zirconium Sponge)

Hazard Class 4.1
Packing Group III
ERG Code 170

Special Provisions IB6, T1, TP33

IATA

UN/ID No. 3089

Proper shipping name Metal powder, flammable, n.o.s. (Zirconium Sponge)

Hazard Class 4.1 Packing Group III

Special Provisions IB6, T1, TP33

Japan

UN Number 3089

Proper shipping name Metal powder, flammable, n.o.s. (Zirconium Sponge)

Hazard Class 4.1 Packing Group III

Special Provisions IB6, T1, TP33

Section 15: REGULATORY INFORMATION

International Inventories

DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

ſ	Chemical Name	Dangerous	organic solvents	Harmful	ISHL - Prevention	Prevention of Lead
		Substances		Substances	of Hazards Due to	Poisoning
				Whose Names Are	Specified	
				to be Indicated on	Chemical	

			the Label	Substances (Class 2)	
Zirconium 7440-67-7	>1 %	Not applicable	Not applicable	-	-

Chemical Name	Class 2	Class 1	Poisonous and Deleterious Substances Control Law	Fire Service Law:
Zirconium 7440-67-7	-	-	Not applicable	Class 2

Fire Service Law:

Section 16: OTHER INFORMATION

 Issue Date
 28-May-2015

 Revision Date
 09-Sep-2021

Revision Note SDS sections updated: 1, 3, 14.

Key or legend to abbreviations and acronyms used in the safety data sheet

Note:

This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan)

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Additional information available Safety data sheets and labels available at ATImaterials.com from:

Page 8/8