

SAFETY DATA SHEET

Revision Date 22-May-2020

Version 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Zirconium Oxychloride Powder

Other means of identification

Product Code SAC033 UN/ID No. 3260

Synonyms Zirconium Oxychloride Powder: Zirconium Chloride Oxide, Zirconium Chloride Hydroxide,

Zirconium Dichloride Dihydroxide, Zirconyl Chloride Crystals. (Product #313)

Recommended use of the chemical and restrictions on use Recommended Use Chemical intermediate.

Uses advised against

Details of the supplier of the safety data sheet

Manufacturer Address

ATI, 1000 Six PPG Place, Pittsburgh, PA

15222 USA

Emergency telephone number

Emergency Telephone Chemtrec: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This material is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1
May be corrosive to metals	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

May be corrosive to metals

Causes severe skin burns and eye damage

Causes serious eye damage



Appearance Crystalline Powder

Physical state Solid

Odor Pungent, Slight chlorine

Precautionary Statements - Prevention

Page 1/8

North America; English

Revision Date 22-May-2020

Do not breathe dust/fume

Wear protective gloves/protective clothing/eye protection

Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Brush off loose particles from skin. Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Wash contaminated clothing before reuse

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store in a dry place

Store in corrosion-resistant container

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Reacts violently with water (EUH014)

Other Information

Harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms Zirconium Oxychloride Powder: Zirconium Chloride Oxide, Zirconium Chloride Hydroxide,

Zirconium Dichloride Dihydroxide, Zirconyl Chloride Crystals. (Product #313).

Chemical Name	CAS No.	Weight-%
Zirconium Dichloride Oxide	7699-43-6	>99

4. FIRST AID MEASURES

First aid measures

Eye contact Flush with water for 15 minutes. See a physician.

Skin ContactBrush off loose particles from skin. Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a physician or poison control center immediately.

Ingestion Do NOT induce vomiting. Have patient drink large quantities of water if able. Call Physician

immediately for further instructions.

Most important symptoms and effects, both acute and delayed

Symptoms May cause acute gastrointestinal effects if swallowed. Contact with moist skin may cause

skin burns. May cause breathing difficulties if inhaled.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Page 2/8

Suitable extinguishing media

Non-combustible.

Unsuitable extinguishing media Non-combustible. If a fire occurs in the area, avoid water contact with the product to prevent

evolution of hazardous gases.

Specific hazards arising from the chemical

Non-combustible.

Hazardous combustion products Hydrogen chloride gas may cause respiratory and/or eye irritation.

Explosion data

Sensitivity to Mechanical Impact None. **Sensitivity to Static Discharge** None.

Protective equipment and precautions for firefighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsUse personal protective equipment as required.

For emergency responders

Use personal protective equipment as required. Follow Emergency Response Guidebook,

Guide No. 154.

Environmental precautions

Environmental precautionsCollect spillage to prevent release to the environment.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upSweep or shovel material into dry containers. Avoid creating uncontrolled dust. Wash the

spill location thoroughly with water. Respiratory protection may be needed. Skin and eye

protection should be used during cleanup.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Protect from

moisture. Reacts with water. Ensure adequate ventilation, especially in confined areas. Handle under inert gas such as nitrogen or argon to maintain the integrity of the product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in properly labeled containers. Keep in a dry, cool and well-ventilated place. Protect

from direct sunlight. Containers may become pressurized. Handle and open container with

care. Keep in corrosion resistant containers.

Incompatible materials Water, alcohols, phenols, and amines. Rubber, coatings, and some plastics. Reacts with

metals to produce heat and corrosive gases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical Name	ACGIH TLV	OSHA PEL
Zirconium Dichloride Oxide	STEL: 10 mg/m³ Zr	TWA: 5 mg/m ³ Zr

7699-43-6	TWA: 5 mg/m ³ Zr	(vacated) STEL: 10 mg/m³ Zr

Appropriate engineering controls

Engineering Controls Avoid generation of uncontrolled particles. Local exhaust ventilation during processing is

recommended.

Individual protection measures, such as personal protective equipment

If a risk of eye injury or irritation is present, appropriate eye protection is recommended; for Eye/face protection

example, tight-fitting goggles, foam-lined safety glasses, face shield, or other protective

equipment that shields the eyes.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

When particulates/fumes/gases are generated and if exposure limits are exceeded or Respiratory protection

irritation is experienced, proper approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

Crystalline Powder **Appearance** Odor Pungent, Slight chlorine

white Color Odor threshold

Property Values Remarks • Method

- °C / - °F Melting point / freezing point

Boiling point / boiling range

Flash point Not applicable **Evaporation rate** Not applicable Not flammable Flammability (solid, gas)

Flammability Limit in Air

Upper flammability limit: Lower flammability limit:

Vapor pressure Not applicable Vapor density Not applicable

Specific Gravity 15 Water solubility 960 g/L

Solubility in other solvents **Partition coefficient**

Autoignition temperature Not applicable

Decomposition temperature 200°C

Kinematic viscosity Not applicable Dynamic viscosity Not applicable

Not applicable **Explosive properties** Not applicable **Oxidizing properties**

Other Information

Softening point

Molecular weight 178.129 **VOC Content (%)** Not applicable

Density

30-40 lb/ft3 **Bulk density**

Page 4/8

10. STABILITY AND REACTIVITY

Reactivity

Reacts with water

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Reacts with water.

Hazardous polymerization does not occur. **Hazardous polymerization**

Conditions to avoid

Dust formation and dust accumulation. Unintentional contact with water.

Incompatible materials

Water, alcohols, phenols, and amines. Rubber, coatings, and some plastics. Reacts with metals to produce heat and corrosive gases.

Hazardous Decomposition Products

Reacts with water to produce hydrogen chloride gas or hydrochloric acid and heat.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Product not classified.

Causes severe eye damage. Eye contact

Skin Contact Causes severe skin burns.

Harmful if swallowed. Ingestion

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zirconium Dichloride Oxide	3500 mg/kg bw	-	-
7699-43-6			

Information on toxicological effects

Symptoms May cause skin burns. May cause severe upper respiratory irritation if inhaled. May cause

acute gastrointestinal effects if swallowed. May cause burning sensation or redness in the

North America; English

eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity Harmful if swallowed. Skin corrosion/irritation Causes severe skin burns. Serious eye damage/eye irritation Causes severe eye damage.

Sensitization Product not classified. Product not classified. Germ cell mutagenicity Carcinogenicity Product not classified.

Reproductive toxicity Product not classified. STOT - single exposure Product not classified. STOT - repeated exposure Product not classified. **Aspiration hazard** Product not classified.

Page 5/8

12. ECOLOGICAL INFORMATION

Ecotoxicity

This product as shipped is not classified for aquatic toxicity.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Zirconium Dichloride Oxide	The 72 h EC50 of zirconium	The 96 h LC50 of zirconium	The 3 h EC50 of anhydrous	The 48 h EC50 of zirconium
7699-43-6	dichloride oxide to	dioxide to Danio rerio was	zirconium acetate for	dichloride oxide to Daphnia
	Pseudokirchnerella	greater than 100 mg/L.	activated sludge was greater	magna was greater than
	subcapitata was 80% v/v		than 1000 mg/L.	100% v/v saturated solution.
	saturated solution.			

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

DOT Regulated 3260

Proper shipping name Corrosive solid, acidic, inorganic, n.o.s. (Zirconium Oxychloride)

Hazard Class 8
Packing Group

Special Provisions IB8, IP2, IP4, T3, TP33

Emergency Response Guide 154

Number

15. REGULATORY INFORMATION

International Inventories

Complies **TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC KECL** Complies **PICCS** Complies **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Zirconium Dichloride Oxide		X	
7699-43-6			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 0 Instability 1 Physical and Chemical

Properties -

HMIS Health hazards 2 Flammability 0 Physical hazards 1 Personal protection X Chronic Hazard Star Legend *= Chronic Health Hazard

 Issue Date
 06-Apr-2017

 Revision Date
 22-May-2020

Revision Note

SDS sections updated: 1, 2, 6, 14

Note:

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 7/8

Additional information available from:

Safety data sheets and labels available at ATImetals.com