



This certificate is granted and awarded by the authority of the Nadcap Management Council to:

ATI Specialty Materials Oakdale Operations

*1001 Robb Hill Rd
Oakdale, PA 15071
United States*

This certificate demonstrates conformance and recognition of accreditation for specific services, as listed in www.eAuditNet.com on the Qualified Manufacturer's List (QML), to the revision in effect at the time of the audit for:

Materials Testing Laboratories

Certificate Number: 4020212650
Expiration Date: 28 February 2025
Accreditation Length: 24 Months

Jay Solomond
Executive Vice President & Chief Operating Officer

SCOPE OF ACCREDITATION

Materials Testing Laboratories

ATI Specialty Materials Oakdale Operations

1001 Robb Hill Rd
Oakdale, PA 15071

This certificate expiration is updated based on periodic audits. The current expiration date and scope of accreditation are listed at: www.eAuditNet.com - Online QML (Qualified Manufacturer Listing).

In recognition of the successful completion of the PRI evaluation process, accreditation is granted to this facility to perform the following:

AC7000 - AUDIT CRITERIA FOR NADCAP ACCREDITATION

AC7101/1 Rev G - Nadcap Audit Criteria for Materials Testing Laboratories – General Requirements for All Laboratories (to be used on audits on/after 5 May 2019)

AC7101/2 Rev E - Nadcap Audit Criteria for Materials Testing Laboratories – Chemical Analysis (to be used on audits on/after 30 August 2020)

(G) Elemental Analysis (Combustion or Fusion)

(G1) Carbon

(G3) Nitrogen

(G4) Oxygen

(G5) Sulfur

(S) X-Ray Fluorescence (XRF)

Specify the Alloy Base for Accreditation

Co Base

Ni Base

AC7101/4 Rev F - Nadcap Audit Criteria for Materials Testing Laboratories – Metallography and Microindentation Hardness (to be used on/after 14 August, 2016)

(L0) Metallographic Evaluation

(L11) Grain Size

AC7101/5 Rev D - Nadcap Audit Criteria for Materials Testing Laboratories – Hardness Testing (Macro) (to be used on audits BEFORE 07-May-2023)

(M2) Rockwell Hardness

Lab Type - Lab Type

Captive